



Primip 05/08/2024

Adresa

Primip d.o.o.
Parobrodska 37
22000 Sremska Mitrovica
Srbija

Telefon

Telefon
022/623-386
022/626-933
022/662-249 (stovarište)

E-mail

primip@mts.rs

- **Odobravamo rabat u zavisnosti od količine kupljene robe**
- **Na sve komade cevi čije su dužine manje od 1m odobravamo dodatni rabat od 10%**

Bešavne cevi - PRECIZNE

Proizvod	Količina	JM	Opis
Cev beš.prec. 10,0 x 1,0 E355+C	158.7	kg	3,01mx231
Cev beš.prec. 10,0 x 1,0 P265TR1	33.8	kg	6mx30+2m
Cev beš.prec. 10,0 x 1,5 11 453.1	116.4	kg	6mx55+3m+4m
Cev beš.prec. 10,0 x 1,5 11353.1	73.9	kg	4mx58m+1mx3+2,08m+2,5m+2,09m-kriva
Cev beš.prec. 10,0 x 2,0 E235+C	90.9	kg	5,3mx52+2,27m
Cev beš.prec. 10,0 x 3,0 E235+N	258.0	kg	6,01mx84
Cev beš.prec. 100,0 x 3,0 E355+C	439.0	kg	2,95mx20+1,94m
Cev beš.prec. 103,0 x 6,5 C35E+C	976.0	kg	5,5mx11
Cev beš.prec. 108,0 x 10,0 E235	86.5	kg	2,5m
Cev beš.prec. 12,0 x 1,0 E355+N	147.3	kg	6mx91+4m
Cev beš.prec. 12,0 x 1,65 SA-179 ASME	346.5	kg	8,2mx83+2,19m+4,18m+6,7m+5,19m+1,1m+1,66m
Cev beš.prec. 12,0 x 2,0 E355+N	161.0	kg	6,01mx53
Cev beš.prec. 120,0 x 10,0 E235+C	466.0	kg	3,4mx5
Cev beš.prec. 120,0 x 4,0 E355+C	422.0	kg	3mx12
Cev beš.prec. 13,0 x 2,0 Č.1212	57.5	kg	oko 3,2mx20-krive+1,4m
Cev beš.prec. 14,0 x 1,2 E235+N	248.5	kg	3,04mx210
Cev beš.prec. 14,0 x 1,8 E235+C	9.0	kg	6,11mx2+4,1m
Cev beš.prec. 14,0 x 2,0 E235+N	522.5	kg	3,5mx249
Cev beš.prec. 14,0 x 2,93 E235+N	50.1	kg	3mx21+1m
Cev beš.prec. 14,0 x 3,0 E235+C	108.0	kg	6,05mx22
Cev beš.prec. 15,0 x 1,5 St35NBK	142.0	kg	6mx47+3m+4m+1m+1,5mx3+2m
Cev beš.prec. 15,88 x 2,11 Grade A-1 ASTM A	238.5	kg	L=6,65mx64+4,64m+3,05m
Cev beš.prec. 15,88 x 2,41 ASME SA-179	202.8	kg	L=7,1mx37kom
Cev beš.prec. 16,0 x 1,5 Č.1212	89.0	kg	1,5m-5,5mxn-zid 1,75
Cev beš.prec. 16,0 x 1,5 St35NBK	152.3	kg	6m x 49+5m*+3m
Cev beš.prec. 16,0 x 1,8 P265GH+N	1.3	kg	0,985+0,99m
Cev beš.prec. 16,0 x 2,0 E235+N	136.5	kg	6mx32+3m
Cev beš.prec. 16,0 x 2,0 St52.4	2.0	kg	1,04mx2+0,5-zid 2,2mm
Cev beš.prec. 16,0 x 3,0 E235+N	144.9	kg	4,09mx38
cev beš.prec. 17,0 x 2,3 P235TR2	177.6	kg	6mx35+2m
Cev beš.prec. 17,0 x 4,0 E235+C	177.4	kg	3,01mx46
Cev beš.prec. 18,0 x 1,0 St35NBK	174.3	kg	6,5m x 65+3,5mx3+2,79m+6m+4,2m
Cev beš.prec. 18,0 x 1,2 St35NBK	14.5	kg	2,96m+2,8m+3m+4,65m+5,99m+5,98m-kriva
Cev beš.prec. 18,0 x 1,5 P235GH-TC1	145.3	kg	5x11 kom+5mx23kom+6,5mx5+3m+1,1mx2+2m+1
Cev beš.prec. 18,0 x 1,62 15 130 TDP	50.0	kg	6mx13

Proizvod	Količina	JM	Opis
Cev beš.prec. 18,0 x 2,0 E355+C	238.3	kg	6,05mx48+4,5m+4,5m
Cev beš.prec. 18,0 x 4,0 P235TR2+N	113.0	kg	3,01mx26+2,3m
Cev beš.prec. 20,0 x 1,5 25CrMo4+N	345.9	kg	6mx84+3m-k
Cev beš.prec. 20,0 x 2,0 15 130 CSN	52.5	kg	6mx7+2,92mx4
Cev beš.prec. 20,0 x 2,0 16Mo3+N	421.0	kg	6,01mx79
Cev beš.prec. 20,0 x 2,0 E235+C	14.3	kg	6mx4+1,76m+0,98m
Cev beš.prec. 20,0 x 2,0 P355NH	61.5	kg	4,02mx16+0,8m
Cev beš.prec. 20,0 x 2,0 SA-179	1.0	kg	1,06m
Cev beš.prec. 20,0 x 2,0 St35NBK	2.8	kg	3m
Cev beš.prec. 20,0 x 2,2 E235+C	518.0	kg	6,17mx86
Cev beš.prec. 20,0 x 3,0 St35NBK-pocinkovana	147.5	kg	6mx38+3,29m+2,98m+0,59m+4m
Cev beš.prec. 20,0 x 4,0 E235+C	676.6	kg	6mx75+1m+1m+0,93m
Cev beš.prec. 20,3 x 1,9 E235	4.0	kg	3m+1,63m
Cev beš.prec. 20,5 x 5,25 E235+C	141.2	kg	1m+3mx21
Cev beš.prec. 21,3 x 2,3 St52.0	91.4	kg	5,36mx17
Cev beš.prec. 21,3 x 2,65 160-EK2+N	282.5	kg	4,1mx56+2m
Cev beš.prec. 21,3 x 3,2 P235GH+N	292.0	kg	6,14mx34+3m
Cev beš.prec. 210,0 x 15,0 E355 SR	955.0	kg	3,605m+9,58m
Cev beš.prec. 22,0 x 1,0 St35NBK	1,215.5	kg	6,5m-7m x 335*+4mx2+3m
Cev beš.prec. 22,0 x 2,0 Č.3100	620.0	kg	6 mx18+3m+6mx3-krive+6mx60+4mx4+2,37m+2,9
Cev beš.prec. 22,0 x 4,0 St35BK	915.2	kg	6,5 x83kom+0,62+3,25mx7+5m
Cev beš.prec. 22,4 x 6,2 E355+SR	247.5	kg	6,95mx13+2,1m+0,74m+0,34m+5,57m
Cev beš.prec. 24,0 x 3,7 Č.3100	85.5	kg	6mx5+5,5m+5m+1,56m
Cev beš.prec. 24,0 x 5,75 St52-3 BK	248.0	kg	3,5mx28
Cev beš.prec. 25,0 x 2,0 St35 BK	18.6	kg	6,3m-kriva+0,37mx1
Cev beš.prec. 25,0 x 2,5 E235 + N	495.1	kg	6,5mx29**5m+0,5mx6*+6,5mx25*+0,68m*
Cev beš.prec. 25,0 x 4,0 E355+C	159.4	kg	6mx12+5m
Cev beš.prec. 25,0 x 4,0 St52.0	9.0	kg	1,89mx2+1,79m
Cev beš.prec. 25,4 x 2,11 GRADE 6 ASTM A	82.5	kg	0,79m x67 + 0,53m x 26*
Cev beš.prec. 25,4 x 2,11 GRADE C ASTM A	178.0	kg	1,18mx23+2,63mx23+0,58mx109+0,49mx8*
Cev beš.prec. 25,4 x 3,05 17Cr3	500.0	kg	6mx48+3m
Cev beš.prec. 25,4 x 3,05 E235+N	82.5	kg	L=6mx7+2m+1,5m
Cev beš.prec. 26,0 x 3,0 ZP 160-EK2+N	188.4	kg	4,08mx26+1,7m+3,07m
Cev beš.prec. 26,0 x 5,0 E235 + N	1.5	kg	
Cev beš.prec. 28,0 x 1,0 E235+N	367.0	kg	6mx85+4,5m+1,38m+1,41m+2,23m+1,6m+3m
Cev beš.prec. 28,0 x 1,0 St35NBK	28.0	kg	3,5m+0,96m+5,3mx7
Cev beš.prec. 28,0 x 2,0 E235+C	137.3	kg	5mx2+2,85m+2,34m+2,65m+4,1m+2,36m+1m+6m
Cev beš.prec. 28,0 x 4,5 St 52-3	30.9	kg	3,08mx3+2.07m
Cev beš.prec. 28,0 x 6,0 E235+C	51.5	kg	5,81mx2+2,77m
Cev beš.prec. 30,0 x 1,5 25CrMo4+N	234.4	kg	6mx34+3m+2m
cev beš.prec. 30,0 x 2,5 P235GH+N	994.0	kg	6,07mx99+2,14m
Cev beš.prec. 30,0 x 3,0 P235TR1	2.5	kg	1,21m
Cev beš.prec. 30,4 x 6,2 C 60 NBK	64.0	kg	6,3mx2+2,15m
Cev beš.prec. 32,0 x 1,0 E235+N	18.2	kg	6mx4+3m
Cev beš.prec. 32,0 x 2,0 St35BK	725.0	kg	6,49mx70+3m+1,27mx2+1,23m+0,74m+0,46m+0,4
Cev beš.prec. 32,0 x 3,5 C10	115.2	kg	3,07mx11+1,82m+1,25m+2m+1,5m+0,66mx2+0,55
Cev beš.prec. 32,0 x 4,0 20 GOST 1050	473.5	kg	(6-7,5m) x 12+4,5m+0,53m+1,99m+2,92m+5mx3+
Cev beš.prec. 32,0 x 4,5 St52NBK	52.5	kg	6,07mx2+1,65m+2,54m+1,05m
Cev beš.prec. 32,0 x 5,0 12ChMFTU	145.7	kg	6,09mx7+0,76m

Proizvod	Količina	JM	Opis
Cev beš.prec. 32,0 x 6,3 12022.1	534.5	kg	6,09mx21+5,28m
Cev beš.prec. 32,0 x 8,0 E355+C	124.5	kg	6,1mx5+1,57m
Cev beš.prec. 34,0 x 5,0 C55E+N	271.0	kg	3,07mx24+1,05m
Cev beš.prec. 35,0 x 2,0 E235+N	1,185.5	kg	6,97x93+2,91mx3+2,14m+1,74m+0,7m+1m+0,91m
Cev beš.prec. 35,0 x 4,0 E235+C	3.7	kg	1,06m+1.02m
Cev beš.prec. 35,0 x 6,0 C55E+N	328.0	kg	3,07mx25
Cev beš.prec. 35,0 x 7,5 E235+N	383.9	kg	3,07mx24+1,55m
Cev beš.prec. 36,0 x 4,0 16MnCr5	292.5	kg	3mx30+2m
Cev beš.prec. 36,0 x 6,0 E255+N	6.5	kg	1,46m
Cev beš.prec. 37,0 x 4,75 E355	497.0	kg	L=9,65mx11+0,6m+0,95m+3,47m-spoljni precnik 3
Cev beš.prec. 37,0 x 5,0 E355	179.5	kg	3,07mx12+2,05m+1,06m+1,06m+1,86m
Cev beš.prec. 38,0 x 5,0 E355+C	441.8	kg	3,08mx35+1,07m
Cev beš.prec. 38,0 x 5,0 P355NL1	3.5	kg	0,85m-kriva
cev beš.prec. 38,0 x 6,0 E255+N	398.0	kg	6,05mx14+2m+2,75m+4,94m+0,45m
Cev beš.prec. 40,0 x 1,0 235+N	169.5	kg	6,4mx27
Cev beš.prec. 40,0 x 2,0 25CrMo4+N	490.5	kg	6,07mx28+4m
Cev beš.prec. 40,0 x 4,0 E355+N	179.0	kg	6,07mx9+5,06m
Cev beš.prec. 40,0 x 6,4 E235+C	264.0	kg	3,25mx15
Cev beš.prec. 40,0 x 8,0 8Mn45	602.7	kg	oko 4,4mx17+oko 4m
Cev beš.prec. 40,5 x 6,25 E355+N	189.4	kg	3mx4+1m+1,5m
Cev beš.prec. 41,0 x 6,0 C55E+N	207.2	kg	6mx6+0,84m+0,58m
Cev beš.prec. 42,0 x 1,0 E235+N	399.0	kg	3,08mx127
Cev beš.prec. 42,0 x 3,0 E235+C	101.0	kg	3,5mx10+0,98m+0,99m+0,49m
Cev beš.prec. 42,0 x 4,0 E255+N	206.0	kg	6mx9
Cev beš.prec. 42,0 x 6,0 20 GOST	130.8	kg	4,02mx5+1,09m
Cev beš.prec. 42,0 x 6,3 12022	172.5	kg	3,08mx10+1,87m
Cev beš.prec. 42,0 x 7,0 C55+E	333.8	kg	5,93mx9+0,83m
Cev beš.prec. 42,4 x 2,5St35NBK	1,452.5	kg	6m xn+1,4m+1,17m*
Cev beš.prec. 44,5 x 4,0 E355+N	182.5	kg	6mx7+4,15m
Cev beš.prec. 44,7 x 7,25 16MnCr5	330.0	kg	3,75mx13
Cev beš.prec. 46,0 x 2,5 CK 35	157.5	kg	3,08mx18+1,94m
Cev beš.prec. 46,0 x 6,0 16MnCr5+A	101.5	kg	3mx5+1,5m
Cev beš.prec. 47,0 x 6,5 16MnCr5+C	303.0	kg	L=3,05mx14
Cev beš.prec. 48,0 x 2,5 25CrMo4	153.0	kg	3,42mx12kom+1,41m+1,3m+1,41m+2m+1,9m+0,8
Cev beš.prec. 48,0 x 3,0 E235+C	299.5	kg	3,08mx29+0,18m+0, 5m
Cev beš.prec. 48,0 x 6,0 12022.1	228.0	kg	6mx6
Cev beš.prec. 48,0 x 8,0 E355+C	83.5	kg	L=3,07mx3
Cev beš.prec. 48,3 x 5,9 S275JR	510.0	kg	5,4mx15
Cev beš.prec. 50,0 x 1,5 E355+C	196.2	kg	8,05mx13+7,04m
Cev beš.prec. 50,0 x 2,0 25CrMo4	412.5	kg	6,19mx27+3,61m
Cev beš.prec. 50,0 x 6,0 P460	58.0	kg	1,84mx5
Cev beš.prec. 50,0 x 8,0 E355+N	18.0	kg	2,23m
Cev beš.prec. 50,0 x 8,0 P460NH	287.0	kg	6mx5+4,5m
Cev beš.prec. 50,4 x 10,2 C60 NBK	217.0	kg	6,49mx3+0,41m
Cev beš.prec. 51,0 x 10,0 E235+N	200.5	kg	5,5mx3+2,59m+1,83m
Cev beš.prec. 51,0 x 3,2 E355+C	50.0	kg	6,09m+3,08m+0,86mx4
Cev beš.prec. 52,0 x 6,0 C35E+C	342.5	kg	3,06mx16+0,64m
Cev beš.prec. 52,0 x 8,0 C55E+N	33.0	kg	3,09m+0,81m
Cev beš.prec. 53,0 x 3,0 E355+C	201.5	kg	6mx9+1,43m

Proizvod	Količina	JM	Opis
Cev beš.prec. 55,0 x 10,0 C60E+N	475.4	kg	3,05mx12+2,5m+2,08m+1,24m+0,6m
Cev beš.prec. 55,0 x 7,35 E355+C	510.0	kg	3,07m+1,47m+3,09mx14+1,36mx2
Cev beš.prec. 57,0 x 5,0 E235+C	243.7	kg	4mx9+1,11m
Cev beš.prec. 58,0 x 5,0 E355+C	359.0	kg	6,24mx8+3,97m
Cev beš.prec. 58,0 x 5,0 E355+N	235.0	kg	6,4mx4+0,36m+2,52m+0,77mx2+0,79m
Cev beš.prec. 6,0 x 2,25 St30SiNBK	115.3	kg	L=6,07mx91+3,06m++2,05m
Cev beš.prec. 6,35 x 1,0 E235+N	4.3	kg	1,28mx20
Cev beš.prec. 60,0 x 3,0 E355+C	242.0	kg	3mx19
Cev beš.prec. 60,0 x 6,5 St52-3	260.5	kg	3,24mx10+1,54m
Cev beš.prec. 60,0 x 6,5 St52-3 GKB	200.0	kg	L=3,05mx5+0,68m+0,4m
Cev beš.prec. 62,0 x 7,0 P460+N	12.5	kg	1,45m
Cev beš.prec. 62,0 x 8,0 C55NBK	268.0	kg	L=5,9mx2+4,69m+0,76m+0,78m+0,89m
Cev beš.prec. 65,0 x 1,5 St35	253.5	kg	6,5mx16+1,98m
Cev beš.prec. 66,0 x 10,0 16MnCr5	884.0	kg	3,09mx21
Cev beš.prec. 7,94 x 0,91 ASTM A 179	19.1	kg	oko 6m x n
Cev beš.prec. 70,0 x 5,0 E355+C	7.5	kg	1,66m
Cev beš.prec. 71,0 x 10,0 C45E+C	204.0	kg	3mx4+1m
Cev beš.prec. 71,0 x 6,0 C60NBK	732.6	kg	6,06mx10+2,01m+1,21m
Cev beš.prec. 73,0 x 5,0 E235+C	217.5	kg	6mx4+1,52m+0,86m
Cev beš.prec. 74,5 x 8,25 25MnCr6	403.0	kg	6mx4+4,5m
Cev beš.prec. 75,0 x 10,75 16MnCr5	722.0	kg	5,6mx5+0,64m
Cev beš.prec. 76,0 x 11,25 C45E	261.0	kg	3mx4+1m+0,3m
Cev beš.prec. 76,0 x 7,0 P235TR2+N	392.0	kg	3,07mx11+1,8m
Cev beš.prec. 76,1 x 3,6 W.Nr.1.4541	115.0	kg	6x3kom
Cev beš.prec. 76,1 x 5,0 16Mo3-TC2+N	100.0	kg	6,07m+1,7mx3+0,39m
Cev beš.prec. 8,0 x 1,5 12 022.1	74.3	kg	3,15mxn+2,14m
Cev beš.prec. 8,0 x 1,75 E235+C	14.7	kg	6,2m-6,5mx7+3m-kriva+1m+3,79m
Cev beš.prec. 80,0 x 5,0 E355+C	194.0	kg	3mx7
Cev beš.prec. 80,8 x 11,9 C60NBK	375.5	kg	5,5mx2+2,49mx2+2,19m+0,48m
Cev beš.prec. 81,0 x 8,5 St52-3	253.5	kg	3mx3+3m
Cev beš.prec. 83,0 x 8,5 11 523.1(S355JOH)	247.0	kg	5mx2+2,55m+1,52m
Cev beš.prec. 85,0 x 8,75 20MnCr5+N	320.0	kg	6mx3
Cev beš.prec. 86,0 x 6,0 C45E	236.5	kg	5,6mx3+1,6m
Cev beš.prec. 9,5 x 1,25 Č.1212	672.0	kg	(4-5m) x n
Cev beš.prec. 95,0 x 7,5 E355+C	67.0	kg	3,77m

Bešavne cevi - KOTLOVSKE

Proizvod	Količina	JM	Opis
Cev beš.kot. 101,6 x 11,0 P235GH	183.6	kg	5m+2,39m
Cev beš.kot. 101,6 x 12,5 13CrMo4-5	409.0	kg	6mx2+3.03m
Cev beš.kot. 101,6 x 4,5 15Mo3	59.0	kg	4,5m+0,83m
Cev beš.kot. 101,6 x 7,1,0 13CrMo4-5	638.0	kg	7,2mx4+5,5m
Cev beš.kot. 108,0 x 4,5 P235GH+N	981.0	kg	6mx12+4,94m+0,95m+0,88m
Cev beš.kot. 108,0 x 8,0 10CrMo9	514.0	kg	L=6,06mx3+1,52m+5,51m
Cev beš.kot. 114,3 x 5,6 P235 GH	29.5	kg	1,93m
Cev beš.kot. 114,3 x 6,3 16Mo3	253.0	kg	4.38m+5,47+4,48m
Cev beš.kot. 114,3 x 6,3 P235GH	267.5	kg	6,07mx2+1,65m+1,14m+0,55m+0,77m+3,06m
Cev beš.kot. 121,0 x 5,0 P235GH	552.0	kg	12,15m+0,87m+6,12mx2+6mx2
Cev beš.kot. 127 x 8,0 P235GH	508.5	kg	3,39m+6,01m+6,02m+5,52m
Cev beš.kot. 133,0 x 13,0 12ChMF	423.0	kg	5,58m+4,43m
Cev beš.kot. 133,0 x 4,0 P235GH TC1	1,215.5	kg	6,05mx18+1,1m+0,42m
Cev beš.kot. 133,0 x 4,5 34CrMo4	613.0	kg	4,460m-4,48mx9+2,03m
Cev beš.kot. 139,7 x 4,0 P265GH TC2	4.0	kg	0,29m
Cev beš.kot. 159,0 x 5,0 P265GH TC1	470.0	kg	6,04+3,56m+1,02m+3,98mx3m+1,05m
Cev beš.kot. 16,0 x 2,3 13CrMo4-5	461.0	kg	7,6mx78+5,58m-kriva
Cev beš.kot. 168,3 x 7,1 16Mo3	921.0	kg	9,04mx2+4,3m+0,56m+3,68m+3,05m+1,28m
Cev beš.kot. 17,1 x 3,2 GRADE B ASTM A	450.2	kg	6,4mx61+2,2m
Cev beš.kot. 18,0 x 2,0 St35.8/I NBK	69.0	kg	3,47mx19+2,47m+1,415m+1,99m+2,24m
Cev beš.kot. 21,3 x 2,77 Grade B ASME	138.4	kg	6,06mx16+4,04m
Cev beš.kot. 21,3 x 3,2 P265GH+N	290.5	kg	6,08mx29+1,06m
Cev beš.kot. 21,3 x 3,6 16Mo3	265.5	kg	6,18mx25+0,59m
Cev beš.kot. 21,3 x 3,6 P235GH/TC1	64.4	kg	6mx6+2,53m+1,12m
Cev beš.kot. 21,3 x 4,0 P235GH+N	766.5	kg	6,09mx69+0,45m
Cev beš.kot. 219,1 x 6,3 P235GH	196.0	kg	5,74m
Cev beš.kot. 219,1 x 6,3 P265GH	16.0	kg	0,46m
Cev beš.kot. 25,0 x 2,3 P235GH	10.0	kg	4,17m+2m+1,1m
Cev beš.kot. 25,4 x 2,11 P235GH+N	18.0	kg	6m+3m+1,17m+0,49mx10+0,59m
Cev beš.kot. 25,4 x 3,4 ASTM A GRAD 6	2.5	kg	1,4m
Cev beš.kot. 26,7 x 7,82 Gr.B	407.5	kg	7,45mx12+2,61m+0,48m+7mx2+0,92m+0,57m
Cev beš.kot. 26,9 x 2,3 P235GH	15.0	kg	5,97m+1,25m
Cev beš.kot. 26,9 x 2,6 P235GH+N	10.5	kg	
Cev beš.kot. 267,0 x 12,5 P265GH TC1	324.6	kg	3,69m
Cev beš.kot. 273,0 x 28,0 16Mo3 TC2	3,853.0	kg	L=6,63mx3+2,43m
Cev beš.kot. 28,0 x 4,0 P265GH	318.0	kg	6mx22
Cev beš.kot. 30,0 x 3,5 Č.4578	11.0	kg	2,44m+0,99m+1m
Cev beš.kot. 31,8 x 3,6 14MoV6	327.5	kg	6mx18kom+4mx6kom
Cev beš.kot. 31,8 x 3,6 GRADE T12(13CrMo4-5	540.5	kg	6,05x18kom++5,82x20kom+1,82mx3+2,82m
Cev beš.kot. 31,8 x 4,5 16Mo3	1,566.5	kg	6x44kom+(5,91-5,95)x43kom
Cev beš.kot. 31,8 x 5,0 10CrMo9-10	417.0	kg	6x20kom+3,36m
Cev beš.kot. 31,8 x 7,1 10CrMo9-10	81.5	kg	L=6,09m+1,33mx5+0,315m+3,4m+0,58m
Cev beš.kot. 32,0 x 4,0 16Mo3-TC2	33.5	kg	1,17m+1,27m+2,27m+2,7m+3,76m
Cev beš.kot. 32,0 x 6,0 12Ch1MF	480.0	kg	6mx13+3,85mx12+0,84m
Cev beš.kot. 33,4 x 3,38 ZP16Mn52NS	155.0	kg	6,02x4kom+5,44mx4+3,04m+1m+3,2m+2,45m+0,5
Cev beš.kot. 33,7 x 2,3 P235GH	24.8	kg	3,36mx2+1,52mx3
Cev beš.kot. 34,0 x 3,5 Č.4578	127.5	kg	6,96mx4+6,74mx2+1,56m+6,3m

Proizvod	Količina	JM	Opis
Cev beš.kot. 35,0 x 5,0 13CrMo4-5	756.2	kg	7,11mx32+0,8m+1,14m
Cev beš.kot. 35,0 x 7,1 14MoV6	1,022.5	kg	7,3mx28+6,29m
Cev beš.kot. 355,6 x 11,16 Gr.B ASTM A 106	371.0	kg	L=3,87m
Cev beš.kot. 355,6 x 8,8 P235GHTC1	3,934.5	kg	(6,01-6,08)x7+2,8m+2,08m+0,93m+1.995m-zid 9-9
Cev beš.kot. 38,0 x 3,2 10CrMo9-10	970.9	kg	6,05mx27+0,9m+6,05mx13+6,05mx16+4,34m+1,4
Cev beš.kot. 38,0 x 3,6 P265GH	460.5	kg	6,09mx29+3m
Cev beš.kot. 38,0 x 4,0 10CrMo9-10	296.5	kg	0,8m+0,35m+5,13m+4,84m+5,26m+6,05m+5,59m
Cev beš.kot. 38,0 x 4,0 16Mo3	695.0	kg	6mx16+5,1m+5,61m+6,97m+6,77m+7,02m+7,29m
Cev beš.kot. 38,0 x 4,0 P235GH+N	1,613.0	kg	6,04mx24+1,27m+6,05mx56
Cev beš.kot. 38,0 x 4,5 10CrMo9-10	22.5	kg	6m
Cev beš.kot. 38,0 x 5,0 10CrMo9-10	547.5	kg	6,1mx22+1,58m
Cev beš.kot. 38,0 x 5,0 16Mo3	5.0	kg	0,48m+0,75m
Cev beš.kot. 38,0 x 5,6 10CrMo9-10	8.5	kg	1,82m
Cev beš.kot. 38,0 x 6,3 13CrMo4-5	69.0	kg	11,5+2m+1,22m
Cev beš.kot. 42,4 x 10,0 10CrMo9-10	676.0	kg	6mx8+4,58mx8
Cev beš.kot. 42,4 x 2,6 ZP16Mo3	156.5	kg	6,12x9+1,82m+3,1m
Cev beš.kot. 42,4 x 3,6 P235GH+N	1,159.7	kg	6,06mx53+4,05m+1,45m+4m+1m+3,05m
Cev beš.kot. 42,4 x 4,0 P235GH+N	1,399.0	kg	6,06mx57+1,02m+5,55m
Cev beš.kot. 44,5 x 4,5 10CrMo9-10	289.0	kg	6,08mx8kom+6,22mx2+0,86m+5,61m+1m
Cev beš.kot. 44,5 x 5,0 13CrMo4-5	17.0	kg	1,25m
Cev beš.kot. 44,5 x 5,0 16Mo3	4.0	kg	0,73m+1,21m
Cev beš.kot. 44,5 x 5,6 16Mo3	231.5	kg	7kom x (5,7-5,9) +4,5m+1,93m+2,18m
Cev beš.kot. 44,5 x 6,3 10CrMo9-10	15.5	kg	2,67m
Cev beš.kot. 44,5 x 7,1 13CrMo4-5	34.5	kg	6,12m
Cev beš.kot. 48,26 x 10,16 10CrMo9	1,546.0	kg	6,52mx24+5,01m
Cev beš.kot. 48,3 x 2,6 P235GHTC1	37.5	kg	5,9mx4+0,84m+0,87m
Cev beš.kot. 48,3 x 3,2 P235GHTC1	675.0	kg	5,92mx23+4,41m+4,8m+2,59m+6mx3+3m1,22m
Cev beš.kot. 48,3 x 3,6 ZP10CrMo5-5	1,429.0	kg	6mx26kom +5,5mx25kom+6mx9+3,24m+0,72mx6
Cev beš.kot. 48,3 x 4,3 Grade T22 ASTM A	372.5	kg	5,37mx10+0,35mx2
Cev beš.kot. 48,3 x 5,08 P265GH+N	612.5	kg	6,18mx18
Cev beš.kot. 51,0 x 3,5 10CrMo5-5	696.0	kg	8,1mx17+2,1m+6m
Cev beš.kot. 51,0 x 5,0 13CrMo4	145.0	kg	1,33m+1,55m+1,32m+1,42m+1,4m
Cev beš.kot. 51,0 x 5,0 16Mo3	728.0	kg	6,57mx4+0,68m+4,96m+7,3mx17+1,29mx4
Cev beš.kot. 54,0 x 4,0 TU15CD2-05 (15Mo3)	255.0	kg	6,78x6kom+2,74m+0,76m+4,67m
Cev beš.kot. 54,0 x 5,0 10CrMo9-10	354.0	kg	7,1mx7+1,69m+2,89m
Cev beš.kot. 57,0 x 4,5 P235GH +N	318.0	kg	6,03mx9
Cev beš.kot. 57,0 x 5,0 10CrMo9-10	925.0	kg	6,73m x 20kom +5,71m
Cev beš.kot. 57,0 x 5,0 13CrMo4-5	791.0	kg	L=6mx20kom
Cev beš.kot. 57,0 x 5,0 15Mo3N	18.0	kg	2,81m
Cev beš.kot. 57,0 x 5,0 P265GH	636.5	kg	5,1mx19+0,22m
Cev beš.kot. 60,3 x 4,0 10CrMo9-10	364.0	kg	L=5,06mx12kom
Cev beš.kot. 60,3 x 4,0 P235GH+N	793.0	kg	6,03mx22+0,58m+1,5m+0,99m+0,61m
Cev beš.kot. 60,3 x 4,0 P265GH+N	28.0	kg	0,64m+0,69m+2,65m+2,18m+0,61m
Cev beš.kot. 60,3 x 4,5 P235GH+N	21.0	kg	3,84m
Cev beš.kot. 60,3 x 4,5 St35.8	28.0	kg	1,02m+1,4m+2,04m
Cev beš.kot. 60,3 x 5,0 18Mo5	976.0	kg	13,55mx4+5,28m+5,04m+6mx10+6m
Cev beš.kot. 60,3 x 5,54 P265GH+N	22.0	kg	3m
Cev beš.kot. 60,3 x 5,6 16Mo3	1,077.0	kg	10,4m-11,4mx5+oko 2m+oko 8m+1m-zid 6,3
Cev beš.kot. 60,3 x 5,6 P265GH+N	77.5	kg	1,4mx2+1,13m+5,69m+2,07m

Proizvod	Količina	JM	Opis
Cev beš.kot. 60,3 x 6,3 13CrMo4-5	73.5	kg	3mx2+0,49m+2m
Cev beš.kot. 60,3 x 6,3 ZP14MoV6	24.5	kg	3m
Cev beš.kot. 60,3 x 8,8 10CrMo9-10	788.6	kg	8,4x7kom+0,73m+0,35m+2,15m
Cev beš.kot. 63,5 x 3,2 P265GH+N	4.5	kg	0,1m+0,13m+0,15m+0,19m+0,18m
Cev beš.kot. 70,0 x 5,0 16Mo3	620.0	kg	6,45mx11+5,94m
Cev beš.kot. 70,0 x 8,0 13CrMo4-5	162.5	kg	5,07mx2+2,87m
Cev beš.kot. 73,0 x 14,02 P265GH	1,337.5	kg	6mx10
Cev beš.kot. 73,0 x 5,16 P265GH	1,105.0	kg	5,4mx23+3,99m
Cev beš.kot. 73,0 x 5,16 ZP18Mo5	588.5	kg	6mx10+4m+1,74m
Cev beš.kot. 76,1 x 2,9 P235GH-TC1	86.0	kg	6mx2+4,54m
Cev beš.kot. 76,1 x 3,2 P265GH-TC2	24.5	kg	0,92m+3,26m
Cev beš.kot. 76,1 x 3,6 P265GH+N	429.0	kg	5,95mx11
Cev beš.kot. 76,1 x 4,0 P235GH	245.0	kg	6mx5+1,55m
Cev beš.kot. 76,1 x 4,0 P265GH	95.0	kg	2,16x7kom
Cev beš.kot. 76,1 x 4,0 P265GH-TC2	422.5	kg	6mx8+5,68m+0,53m+0,55m+1,69mx2+1,85m
Cev beš.kot. 76,1 x 4,5 15Mo3	454.5	kg	6,05mx9+1,95m+1,02m+0,44m
Cev beš.kot. 76,1 x 4,5 P265GH	447.0	kg	3,52m+2,41m+0,5m+4,33mx8+1,71m+x5+1,44m+
Cev beš.kot. 76,1 x 5,0 16Mo3	13.5	kg	1,56m
Cev beš.kot. 76,1 x 5,0 GRADE T1 ASTM A	24.0	kg	0,83m+0,32+0,85m+0,58m
Cev beš.kot. 76,1 x 6,3 16Mo3	235.0	kg	L=6mx8+0,41m
Cev beš.kot. 76,1 x 6,3 P235GH-TC1	63.5	kg	5,77m
Cev beš.kot. 76,1 x 7,1 16Mo3	41.0	kg	3,24m
Cev beš.kot. 76,1 x 8,0 16Mo3	865.5	kg	8,125mx7+6,9m
Cev beš.kot. 82,5 x 3,6 P235GH-TC1	80.0	kg	6m+3,9m+1,61m
Cev beš.kot. 82,5 x 4,0 P265GH-TC2	99.0	kg	1,15m+ +0,69mx17
Cev beš.kot. 82,5 x 4,5 St35.8	66.0	kg	4,6m
Cev beš.kot. 82,5 x 5,6 P265GH	674.0	kg	oko 5,7mx11
Cev beš.kot. 88,9 x 11,0 16Mo3	775.0	kg	37m/4
Cev beš.kot. 88,9 x 12,5 13CrMo4	705.0	kg	9,25mx2+6m+2,88m
Cev beš.kot. 88,9 x 15,24 P265GH	558.0	kg	oko 4,8mx4+1,01m
Cev beš.kot. 88,9 x 3,2 P235GH-TC1	129.5	kg	4,56mx4+4,05m+0,72m
Cev beš.kot. 88,9 x 3,6 P265GH-TC2	360.5	kg	6mx5+2,78m+2,85m+2,05m+0,91mm+0,78m+2,22
Cev beš.kot. 88,9 x 3,6 St35.8/I	118.5	kg	5,03m+3,24m+2,55m+5,92m
Cev beš.kot. 88,9 x 4,0 P235GH	55.5	kg	6m +0,66m
Cev beš.kot. 88,9 x 5,6 16Mo3	695.5	kg	3,95m+3,14m+5,89m+4,21m+5,12m+6,18m+6,24m
Cev beš.kot. 88,9 x 5,6 P235GH/St35.8	48.0	kg	4,05m
Cev beš.kot. 88,9 x 5,6 P265GH+N	44.0	kg	1,08m+1,38mx2
Cev beš.kot. 88,9 x 6,3 16Mo3	13.5	kg	1,43mm
Cev beš.kot. 88,9 x 7,62 P11 ASME	1,123.0	kg	12,3mx6

Bešavne cevi - KONSTRUKCIONE

Proizvod	Količina	JM	Opis
Cev beš.kons. 100,0 x 10,0 S355J2H	713.0	kg	oko 4,85mx6+0,43m
Cev beš.kons. 101,6 x 10,0 S355J2H	1,454.5	kg	5,43mx2+5,14m+5,38m+3,94m+5,37m+2,37m+0,9
Cev beš.kons. 101,6 x 11,0 16MnCr5(Č.4320)	95.5	kg	2.69m
Cev beš.kons. 101,6 x 12,5 E355	815.0	kg	7,02mx3+1,79m+6,72m
Cev beš.kons. 101,6 x 14,2 E355	2,784.0	kg	9,67m+9,65mx2+9,67m+9,66mx2+9,63m+9,73mx2
Cev beš.kons. 101,6 x 25,0 S355J2H	1,516.5	kg	5,4m+5,64m+5,55m+5,69m+5,7mx2
Cev beš.kons. 101,6 x 5,0 P235TR2	253.0	kg	6,05mx3+1,97m+1,0m
Cev beš.kons. 108,0 x 12,5 E355+N	822.0	kg	8,6mx2+6m+6,07m+0,59m
Cev beš.kons. 108,0 x 4,0 P235TR2	1,134.4	kg	6mx7+3m+4m+1,08m+6mx6+5,66m+3,07m+1,37
Cev beš.kons. 108,0 x 6,3 E275	838.0	kg	11,69m+11,89m+5,9m+11,4m+11,93m
Cev beš.kons. 108,0 x 8,0 E275	883.0	kg	12,22m+12,19m+12,11m+6m+3,55m
Cev beš.kons. 108,0 x 8,8 E355	49.0	kg	1,53m+0,67m
Cev beš.kons. 114,3 x 10,0 42CrMo4	1,616.5	kg	6,38mx3+6,43m+6,51m+6,66m+6,17m+3,35m+3,5
Cev beš.kons. 114,3 x 10,0 E275	261.0	kg	6m+4,2m
Cev beš.kons. 114,3 x 10,0 E355	37.0	kg	1,55m
Cev beš.kons. 114,3 x 11,0 E355	341.0	kg	3,49m+5,27m+5,92m
Cev beš.kons. 114,3 x 16,0 8Mn45	384.0	kg	5,88m+3,12m
cev beš.kons. 114,3 x 20,0 E235	379.0	kg	1,5m+1,24m+5,79m
Cev beš.kons. 114,3 x 3,6 P235TR1	1,245.0	kg	6mx20+3m+4,5m+1,64m+1,16m
Cev beš.kons. 114,3 x 4,0 P235TR1	1,133.0	kg	6mx8+6mx7+4m+2m+2,5m+0,37m
Cev beš.kons. 114,3 x 5,0 P235TR1	1,399.5	kg	6mx7+6mx10+0,69m
Cev beš.kons. 114,3 x 5,6 P235TR1	306.0	kg	0,75m+6mx2+3,05m
Cev beš.kons. 114,3 x 6,0 S355J2H	8.5	kg	0,54m
Cev beš.kons. 114,3 x 6,02 ASTM A 106*	181.0	kg	0,79m+2,55m+2,81m+6,17m+2,88m
Cev beš.kons. 114,3 x 6,02 ZP16Mn52NS	190.0	kg	1,14m+5,14m+5,5m
Cev beš.kons. 114,3 x 6,3 P235TR1	108.5	kg	3m+1,5m+0,97m+2,4m+0,41m+0,62m+0,88m
Cev beš.kons. 114,3 x 6,35 E355	296.0	kg	4,65m+4,44m+4,67m+3,96m
Cev beš.kons. 114,3 x 7,1 E355	224.7	kg	5,54m+4,79m+1,57m
Cev beš.kons. 114,3 x 8,0 E275	213.0	kg	11.55m
Cev beš.kons. 114,3 x 8,0 E355	35.5	kg	0,4m+1,46m
Cev beš.kons. 114,3 x 8,56 ASTM A 106*	240.0	kg	5,31m***+5,34m***
Cev beš.kons. 114,3 x 8,8 E355	584.5	kg	1,33m+2m+5,45m+5,52m+5,69m+5,72m
Cev beš.kons. 121,0 x 10,0 E355	49.5	kg	0,325m+1,49m
Cev beš.kons. 121,0 x 11,0 E470	19.0	kg	0,64m
Cev beš.kons. 121,0 x 11,0 S460NH	46.5	kg	1,51m
Cev beš.kons. 121,0 x 12,5 E355	639.5	kg	6m+5,95m+5,93m
Cev beš.kons. 121,0 x 12,5 S355J2H	986.0	kg	5,8mx4+1,78m
Cev beš.kons. 121,0 x 14,2 S355J2	205.0	kg	5,68m
Cev beš.kons. 121,0 x 16,0 E355	359.6	kg	1,2m+0,98m+5,59m
Cev beš.kons. 121,0 x 5,0 ZP18Mn122NS	519.0	kg	5,7mx6+0,24m
Cev beš.kons. 121,0 x 6,3 E355	2.0	kg	0,38m
Cev beš.kons. 121,0 x 8,8 E355	2.0	kg	
Cev beš.kons. 127,0 x 12,5 E355	29.0	kg	0,77m
Cev beš.kons. 127,0 x 25,0 S355J2H	1,822.5	kg	5,62m+5,75m+5,46m+5,84m+5,65m+0,99m
Cev beš.kons. 127,0 x 6,3 E355	14.5	kg	0,77m***
Cev beš.kons. 127,0 x 9,5 E355	189.1	kg	1,73m+4,41m
Cev beš.kons. 133,0 x 10,0 St37.0	15.5	kg	

Proizvod	Količina	JM	Opis
Cev beš.kons. 133,0 x 11,0 E355	309.0	kg	3,31m+1,53m+4,39m
Cev beš.kons. 133,0 x 30,0 S355J2H	1,941.0	kg	4,48mx4+4,43m+3,52m
Cev beš.kons. 133,0 x 8,0 E275	860.5	kg	11,04m+10,73m+5,47m+6m
Cev beš.kons. 133,0 x 8,8 E355	137.0	kg	2,04m+3m
Cev beš.kons. 139,7 x 10,0 E235	293.5	kg	4,9m+3,405m+0,67m
Cev beš.kons. 139,7 x 10,0 P235TR2	1,287.0	kg	8mx5
Cev beš.kons. 139,7 x 17,5 E355	537.5	kg	1,965m+0,88m+3,85m+1,92m
Cev beš.kons. 139,7 x 7,1 E235	90.0	kg	3,91m
Cev beš.kons. 139,7 x 8,0 E355	97.0	kg	3,53m
Cev beš.kons. 139,7 x 8,8 P235TR1	591.5	kg	9,3m+6m+2,22m
cev beš.kons. 146,0 x 25,0 E355	278.5	kg	3,74m
Cev beš.kons. 146,0 x 8,8 E355	426.5	kg	5,4m+5,71m+3.02m
Cev beš.kons. 152,4 x 6,3 E235	287.5	kg	5,55m+1,82m+4,95m
Cev beš.kons. 152,4 x 6,3 E275	102.0	kg	4,52m
Cev beš.kons. 152,4 x 6,3 E355	40.5	kg	1,55m
Cev beš.kons. 152,4 x 8,0 E355	38.0	kg	0,39m+0,54m
Cev beš.kons. 159,0 x 11,0 E235	448.5	kg	1,1m+0,705m+5,78m+0,32m+0,18m
Cev beš.kons. 159,0 x 16,0 E355	38.5	kg	0,54m+0,15m
Cev beš.kons. 159,0 x 6,3 E275	1,124.5	kg	11,44m+11,08m+11,71m+6m+2,92m+1,11m
Cev beš.kons. 159,0 x 7,1 E235	566.0	kg	9,29m+11,74m
Cev beš.kons. 159,0 x 7,1 E355	5.5	kg	L=0,24m*
Cev beš.kons. 165,0 x 10,0 S355J2H	36.0	kg	0,65m
Cev beš.kons. 168,3 x 11,0 E275	115.0	kg	2,43m
Cev beš.kons. 168,3 x 12,5 E235	93.0	kg	1,95m
Cev beš.kons. 168,3 x 12,5 E275	542.0	kg	10,83m
Cev beš.kons. 168,3 x 12,5 E355 II	134.0	kg	2,23m+0,2m
Cev beš.kons. 168,3 x 14,27 E275	214.0	kg	3,87m
Cev beš.kons. 168,3 x 17,5 E355	351.0	kg	5,12m- zid18-20-spoljni 166-320mm+180mm
Cev beš.kons. 168,3 x 20,0 E235	458.0	kg	6,07m*
Cev beš.kons. 168,3 x 20,0 E355	87.0	kg	1,12m
Cev beš.kons. 168,3 x 22,2 E355	183.5	kg	2,235m
Cev beš.kons. 168,3 x 25,0 E355	439.0	kg	5,11m
Cev beš.kons. 168,3 x 30,0 E235	51.5	kg	0,39m***
Cev beš.kons. 168,3 x 30,0 E355	139.5	kg	1,02m**+0,31mm***
Cev beš.kons. 168,3 x 6,3 E235	86.5	kg	2.82m+0,45m
Cev beš.kons. 168,3 x 7,1 E355+AR	8.0	kg	0,28m
Cev beš.kons. 168,3 x 7,11 L245	1,812.5	kg	6,01m+1,27m+5,92mx2+5,84m+5,8mm+5,83m+5,9
Cev beš.kons. 175,0 x 17,5 S355J2H	409.5	kg	L=6,57m
Cev beš.kons. 177,8 x 10,0 E355	561.0	kg	1,67m+11,41m
Cev beš.kons. 177,8 x 12,5 E355	177.0	kg	1,22m+2,2m
Cev beš.kons. 177,8 x 14,2 E355	407.0	kg	7,02m
Cev beš.kons. 177,8 x 16,0 E355	248.0	kg	4,05m
Cev beš.kons. 177,8 x 28,0 E355	196.5	kg	1,83m+0,2m
Cev beš.kons. 177,8 x 36,0 E355	179.8		1,22m
Cev beš.kons. 177,8 x 6,3 E235	207.0	kg	1,71m+0,415m+5,36m
Cev beš.kons. 177,8 x 8,0 E355	24.0	kg	0,645m
Cev beš.kons. 177,8 x 8,8 E355 II	788.5	kg	6m+3,65m+11,56m
Cev beš.kons. 191,0 x 22,2 E355	1,168.5	kg	7,9m+4,82m
Cev beš.kons. 191,0 x 40,0 E355	698.0	kg	4,59m

Proizvod	Količina	JM	Opis
Cev beš.kons. 191,0 x 6,3 E355	226.0	kg	7,69m
Cev beš.kons. 193,7 x 10,0 E355	448.0	kg	6m+2,63m
Cev beš.kons. 193,7 x 17,5 E355	474.0	kg	5,21m
Cev beš.kons. 193,7 x 20,0 E235	447.0	kg	5,2m
Cev beš.kons. 193,7 x 28,0 E355	479.5	kg	4,23m
Cev beš.kons. 193,7 x 35,0 E355	221.5	kg	1,61m
Cev beš.kons. 193,7 x 38,1 E355	487.0	kg	3,27m
Cev beš.kons. 193,7 x 6,3 E355	40.8	kg	0,57m
Cev beš.kons. 200,0 x 23,5 E470	20.5	kg	0,2m
Cev beš.kons. 203,0 x 10,0 E355	645.5	kg	2,84m+5,68m+5,56m
Cev beš.kons. 203,0 x 17,5 E355	493.5	kg	5,9m
Cev beš.kons. 203,0 x 22,2 E355	916.5	kg	0,65m+7,93m
Cev beš.kons. 203,0 x 6,3 E355	158.0	kg	4,93m
Cev beš.kons. 203,0 x 7,1 E355	498.0	kg	11,93m
Cev beš.kons. 21,3 x 2,6 S355J2H	2.0	kg	0,47m+1,14m
Cev beš.kons. 21,3 x 3,73 Grad B	536.0	kg	(5,5-6) x 49-razli;ite debljine+6mx2+5,56m
Cev beš.kons. 216,0 x 25,0 E355	748.0	kg	6,18m
Cev beš.kons. 216,0 x 40,0 E355	648.0	kg	3,63m
Cev beš.kons. 216,0 x 8,0 E355	289.0	kg	6,54m
Cev beš.kons. 219,1 x 10,0 E355	1,077.0	kg	3,69m+0,71m+4,6m+11,2m
Cev beš.kons. 219,1 x 11,0 E355	34.5	kg	0,58m
Cev beš.kons. 219,1 x 12,7 E275	12.5	kg	
Cev beš.kons. 219,1 x 16,0 E275	400.0	kg	5m+0,61m
Cev beš.kons. 219,1 x 18,26 E275	627.0	kg	6,74m
Cev beš.kons. 219,1 x 20,0 E275	506.0	kg	5,0m*
Cev beš.kons. 219,1 x 22,2 E355	85.0	kg	0,76m
Cev beš.kons. 219,1 x 28,0 E355	290.5	kg	2,04m
Cev beš.kons. 219,1 x 6,3 E235	771.5	kg	6,47m+4,85m+2,65m+6,46m+0,4m
Cev beš.kons. 219,1 x 8,18 ASTM A	300.0	kg	1,04m+6m
Cev beš.kons. 219,1 x 8,8 E355	551.0	kg	11,86m
Cev beš.kons. 219,1 x 9,5 E355 II	174.0	kg	2,1m+0,43m
Cev beš.kons. 22,0 x 2,5 Č.1212	172.0	kg	5mx25+0,69m+3,91m+3m+1,48m+1,16m+1,32m+
Cev beš.kons. 229,0 x 10,0 E355	668.0	kg	11,9m
Cev beš.kons. 229,0 x 14,2 E355	484.0	kg	6,18m
Cev beš.kons. 229,0 x 20,0 E355	371.5	kg	3,32m
Cev beš.kons. 241,0 x 22,2 E355	457.0	kg	3,62m
Cev beš.kons. 241,0 x 50,0 E355	1,158.0	kg	4,93m
Cev beš.kons. 244,5 x 12,5 E355 II	38.5	kg	0,49m
Cev beš.kons. 244,5 x 17,5 E355	1,109.5	kg	0,57m+10,4m
Cev beš.kons. 244,5 x 20,0 E355	789.0	kg	6m+0,94m
Cev beš.kons. 244,5 x 6,3 E355	367.0	kg	6,42m+3,17m
Cev beš.kons. 244,5 x 8,0 E355	534.0	kg	6m+4,74m
Cev beš.kons. 245,0 x 10,0 E235	220.5	kg	3,2m*
Cev beš.kons. 25,4 x 2,0 S235JRH	350.5	kg	(3-8) x 55+1,07x2+1,06mx2
Cev beš.kons. 254,0 x 10,0 E355	420.0	kg	6m+2,565m
Cev beš.kons. 254,0 x 25,0 E355	401.5	kg	2,81m
Cev beš.kons. 254,0 x 32,0 E355	311.0	kg	1,155m+0,43m
Cev beš.kons. 254,0 x 6,3 E355	386.5	kg	3,48m+5,73m
Cev beš.kons. 254,0 x 7,1 E355	33.0	kg	0,635m

Proizvod	Količina	JM	Opis
Cev beš.kons. 26,7 x 2,87 ZP16Mn52NS	341.0	kg	oko 5,6mx35
Cev beš.kons. 26,9 x 2,6 P235TR1	35.3	kg	4,35m+4,05mx3+5m+0,75m+1,64m+1,12m+3,94m
Cev beš.kons. 26,9 x 3,6 St52	277.0	kg	oko 11,76mx11+oko 5m+3,68m+1,01m+2,27m
Cev beš.kons. 26,9 x 4,0 ZP8Mn45	347.0	kg	oko 12mx13+1m+3m++0,46m
Cev beš.kons. 267,0 x 10,0 E355 II	297.5	kg	4,47m
Cev beš.kons. 267,0 x 14,2 E355	920.0	kg	4,53m+4,27m
Cev beš.kons. 267,0 x 15,0 L245	157.0	kg	1,67m
Cev beš.kons. 267,0 x 6,3 E355	385.5	kg	0,45m+6m+3,05m
Cev beš.kons. 267,0 x 60,0 E355	969.0	kg	3,14m
Cev beš.kons. 267,0 x 7,1 E355	30.0	kg	0,7m
Cev beš.kons. 273,0 x 10,0 E355	142.0	kg	1,015m
Cev beš.kons. 273,0 x 11,0 E235	223.5	kg	2,95m
Cev beš.kons. 273,0 x 11,0 E355	277.0	kg	0,56m**+0,39m***+1,3mx2***
Cev beš.kons. 273,0 x 12,7 ASTM A 106	300.0	kg	3,55m
Cev beš.kons. 273,0 x 12,7 E275	185.0	kg	L=2,22m
Cev beš.kons. 273,0 x 15,09 E275	562.0	kg	5,62m
Cev beš.kons. 273,0 x 15,09 E355	44.0	kg	0,44m
Cev beš.kons. 273,0 x 17,5 E355	439.0	kg	1,98m+1,97m
Cev beš.kons. 273,0 x 18,26 ASTM A333	45.0	kg	0,36m*
Cev beš.kons. 273,0 x 30,0 E355	244.0	kg	1,12m
Cev beš.kons. 273,0 x 45,0 E355	564.0	kg	2,14m
Cev beš.kons. 273,0 x 6,3 E355	65.0	kg	1,36m
Cev beš.kons. 273,0 x 7,8 ASTM A 106	434.0	kg	0,64+4,77m+0,935m+0,725m+0,35m
Cev beš.kons. 273,0 x 9,27 ASTM A	720.0	kg	6m+5,93m
Cev beš.kons. 28,0 x 7,0 CK45 BK	199.0	kg	(5,1-6,1)x3
Cev beš.kons. 298,5 x 10,0 E355	1,126.0	kg	6m+4,41m
Cev beš.kons. 298,5 x 16,0 E355	1,102.0	kg	8,48m
Cev beš.kons. 298,5 x 25,0 E355	585.0	kg	3,4m
Cev beš.kons. 298,5 x 30,0 E355	187.5	kg	0,92m*
Cev beš.kons. 298,5 x 60,0 E355	1,000.0	kg	2,81m
Cev beš.kons. 30,0 x 4,0 P235TR1	1,067.4	kg	6,02mx66+5,01m
Cev beš.kons. 305,0 x 10,0 E355	799.0	kg	4,64m+5,30m
Cev beš.kons. 305,0 x 17,5 E355	879.0	kg	6m+0,98m
Cev beš.kons. 305,0 x 19,0 E355	48.5	kg	0,31m
Cev beš.kons. 31,7 x 3,68 S275JOH	204.5	kg	L=6,4mx10+2,47m+0,25m+0,94mx7+1,91m+0,9m+
Cev beš.kons. 31,8 x 4,0 P235TR1	1,189.0	kg	6mx67+4,29m+2,79mx5
Cev beš.kons. 31,8 x 4,0 S355J2H	3.0	kg	2,46m
Cev beš.kons. 31,8 x 6,3 15229.5	50.0	kg	6,01m+1,99m+0,45m
Cev beš.kons. 318,0 x 11,0 E355	99.0	kg	1,04m
Cev beš.kons. 318,0 x 17,5 E355	779.0	kg	6,02m
Cev beš.kons. 318,0 x 25,0 E355	1,059.0	kg	5,75m
Cev beš.kons. 318,0 x 45,0 E355	984.0	kg	3,15m
Cev beš.kons. 32,0 x 4,0 P265TR2	17.0	kg	6,45m
Cev beš.kons. 32,0 x 4,5 S235J2H	240.0	kg	1,29m+1,15mx2+6mx5+5,08x5
Cev beš.kons. 32,0 x 4,5 S275JOH	896.0	kg	6mx24+4,5m+6mx14+3,5m+6mx12+5,1mx14+3m
Cev beš.kons. 323,9 x 10,0 E355 II	64.0	kg	0,88m
Cev beš.kons. 323,9 x 11,53 ASTM A	1,066.0	kg	6m+2,03m+2,63m+0,96m
Cev beš.kons. 323,9 x 12,5 E355	600.0	kg	0,27m-zid 14,5-16+3,67m+0,19m
Cev beš.kons. 323,9 x 12,7 ASM A 106	290.0	kg	1,03m+0,48m+0,25m+0,41m+0,51m

Proizvod	Količina	JM	Opis
Cev beš.kons. 323,9 x 16,0 ASTM A	747.0	kg	5,64m+0,3m
Cev beš.kons. 323,9 x 17,0 ASTM A	1,543.0	kg	6,59m+4,67m+0,28m
Cev beš.kons. 323,9 x 32,0 S235JRH	1,470.0	kg	0,06m+5,75m
Cev beš.kons. 323,9 x 7,1 E275	223.0	kg	1,58m+0,78m+0,56m
Cev beš.kons. 323,9 x 8,0 ASTM A 106	254.0	kg	4,08m
Cev beš.kons. 323,9 x 8,8 E235	103.0	kg	2,24m
Cev beš.kons. 324,0 x 8,0 E235	157.0	kg	2,26m
Cev beš.kons. 33,0 x 2,0 St37.0	741.0	kg	(3m-3,5m)x90+(0,5m-1,4m)x30 zardjale
Cev beš.kons. 33,4 x 3,38 P11 ASME	32.0	kg	6,0m+5,5m-krive
Cev beš.kons. 33,4 x 4,5 S235JRH	584.0	kg	L=6,06mx31+3,05m+2,05m
Cev beš.kons. 33,4 x 4,55 S355J2H	47.0	kg	L=6mx2+2,99m
Cev beš.kons. 33,7 x 2,6 P235TR1	12.0	kg	1,14m+0,72m+0,8m+0,8m+1,5m
Cev beš.kons. 33,7 x 3,2 P235TR1	482.5	kg	6mx27+1m+0,6m+3m
Cev beš.kons. 33,7 x 3,6 P235TR1	10.0	kg	2m+2,34m
Cev beš.kons. 33,7 x 4,0 ZP16Mn52NS	6.0	kg	1,85m-spoljni 32
Cev beš.kons. 33,7 x 5,0 P235TR2	515.0	kg	7,9mx18+1,66m
Cev beš.kons. 330,0 x 12,5 E355	516.0	kg	5,07m
Cev beš.kons. 34,0 x 4,5 E355+C	68.5	kg	2mx2+2,05m+1,89m+1,36m+0,67m+1,86m+4,78m
Cev beš.kons. 343,0 x 25,0 E355	1,721.0	kg	6m+2,46m-zid 23-28
Cev beš.kons. 343,0 x 50,0 E355	531.0	kg	1,34m
Cev beš.kons. 35,0 x 6,3 ZP60Mn70(C60)	12.5	kg	3,14m
Cev beš.kons. 355,6 x 10,0 E355	1,076.0	kg	5,75m+6m
Cev beš.kons. 355,6 x 11,0 L245	920.0	kg	5,37m-jajasta-zid 9-10, spoljni 340-367+5,37m
Cev beš.kons. 355,6 x 12,7 API 5L	326.0	kg	0,365m+0,23m+2,36m
Cev beš.kons. 355,6 x 12,7 E355 II	17.0	kg	0,15m
Cev beš.kons. 355,6 x 16,0 E355	857.0	kg	6,08m
Cev beš.kons. 355,6 x 19,1 E275	42.0	kg	0,26m*
Cev beš.kons. 355,6 x 20,0 E355	657.0	kg	3,92m
Cev beš.kons. 355,6 x 25,0 E355	1,236.0	kg	(0,355m-zid 22,5-29)+5,32m
Cev beš.kons. 355,6 x 35,0 E355	738.0	kg	2,59m
Cev beš.kons. 355,6 x 60,0 E355	867.0	kg	2,09m*-zid 58-65
Cev beš.kons. 355,6 x 9,53 API 5L	548.5	kg	0,99m+5,23m
Cev beš.kons. 355,6 x 9,53 L245	1,472.0	kg	4,1m+2,96m+5,58m+5,65m+4,65m
Cev beš.kons. 358,0 x 12,5 St37.0	182.0	kg	1,7m
Cev beš.kons. 368,0 x 10,0 E355	211.5	kg	0,42m+1,74m
Cev beš.kons. 368,0 x 12,5 E355	503.0	kg	4,76m
Cev beš.kons. 368,0 x 22,2 E355	944.0	kg	5,34m
Cev beš.kons. 368,0 x 30,0 E355	1,076.0	kg	4,13m
Cev beš.kons. 377,0 x 12,5 E235 II	816.0	kg	0,855m+6,03m
Cev beš.kons. 38,0 x 3,5 S235JRH	179.5	kg	L=6,02mx15+3m+1,6m
Cev beš.kons. 38,0 x 8,0 P235TR2	418.0	kg	oko 7,5mx9+0,92m
Cev beš.kons. 381,0 x 60,0 E355	840.0	kg	1,76m
Cev beš.kons. 394,0 x 22,2 E355	523.0	kg	2,42m
Cev beš.kons. 394,0 x 30,0 E355 II	1,448.5	kg	0,41m+4,74m
Cev beš.kons. 406,4 x 20,0 E355	735.0	kg	4,31m
Cev beš.kons. 406,4 x 25,0 E355	484.0	kg	2,015m-zid 23-27,5
Cev beš.kons. 406,4 x 30,0 E355	1,066.0	kg	3,87m
Cev beš.kons. 406,4 x 32,0 S355J2H	1,943.5	kg	L=6,26m
Cev beš.kons. 406,4 x 50,0 E355	1,292.0	kg	2,85m-zid 48-52

Proizvod	Količina	JM	Opis
Cev beš.kons. 42,4 x 3,6 E355	566.5	kg	6,01mx26m+5,57mx21+2,56m+1,56m+1,55m+1,31
Cev beš.kons. 42,4 x 4,0 E235	7.0	kg	1,33m
Cev beš.kons. 42,4 x 4,5 P355NL1	21.4	kg	1,61m+3,47m*
Cev beš.kons. 42,4 x 6,3 P355N	894.0	kg	4,02mx41+1,2m
Cev beš.kons. 42,4 x 6,3 S235JRH	367.5	kg	4,25mx15+1,23m
Cev beš.kons. 42,4 x 7,1 C55E	37.1	kg	2,02m+0,84m
Cev beš.kons. 44,5 x 10,0 E355+N	1,214.0	kg	6,04mx23+1,5m
Cev beš.kons. 44,5 x 5,6 ZP16Mo3	927.5	kg	6x15kom+5,75x14+0,9m+1,9m+0,96m*
Cev beš.kons. 44,5 x 8,0 P235TR2	872.5	kg	6mx19+4,79m
Cev beš.kons. 457,0 x 21,5 ASTM A	112.0	kg	0,46m
Cev beš.kons. 457,0 x 9,53 SA333	31.0	kg	0,26**
Cev beš.kons. 48,3 x 2,6 OLT35	18.0	kg	5,07m+0,93m
Cev beš.kons. 48,3 x 2,6 S235JRH	46.0	kg	5,57m+1,3m+3,06m+0,65m
Cev beš.kons. 48,3 x 2,6 ZP16Mn52NS	601.0	kg	7,4mx24+1,4mx10+0,38m+8,4m-odneto
Cev beš.kons. 48,3 x 3,0 S355J2H	10.0	kg	2,01m+1,03m
Cev beš.kons. 48,3 x 3,2 P235TR2	2.0	kg	0,27m+0,29m
Cev beš.kons. 48,3 x 3,2 S275J2H	5.0	kg	0,74m+4,03m
Cev beš.kons. 48,3 x 3,6 ZP10Mn52	146.0	kg	6mx2+4,21mx5+1,22m+1,2m+1,4m+0,89m+1,32m
Cev beš.kons. 48,3 x 4,0 E355+N	3.0	kg	0,66m
Cev beš.kons. 48,3 x 4,5 P235TR1	20.0	kg	3m+0,97m
Cev beš.kons. 48,3 x 5,0 P235TR1	20.0	kg	2,93m
Cev beš.kons. 48,3 x 5,0 S235JRH	5.0	kg	0,86m
Cev beš.kons. 48,3 x 5,08 P11 ASTM A	66.0	kg	4,17m+1,56m
Cev beš.kons. 48,3 x 5,08 ZP16Mn52NS	44.0	kg	6m
Cev beš.kons. 48,3 x 6,3 P235TR1	923.8	kg	6,07mx22+0,64m+1,5m+1,96m
Cev beš.kons. 48,3 x 7,1 C55E	169.0	kg	6,75mx3+2,36m
Cev beš.kons. 48,3 x 8,0 C55E	499.5	kg	od 6,1m-6,8mx8+oko 3m+1,3m
Cev beš.kons. 508,0 x 10,0 ASTM A 106	2,045.0	kg	0,45***m+0,79m+0,54m+6m+2,585m****+6m
Cev beš.kons. 51,0 x 2,9 P235TR2	667.0	kg	6,06mx31-2,04m-kriva
Cev beš.kons. 51,0 x 3,2 ZP10Mn52	51.0	kg	6,01m+4m+1,68m+0,43m
Cev beš.kons. 54,0 x 4,0 S235JRH	85.5	kg	L=12m+3,37m+0,62m
Cev beš.kons. 54,0 x 4,5 S235JRH	1,158.7	kg	L=6,07mx34+2m+1,2m
Cev beš.kons. 54,0 x 5,0 S235JRH	2.0	kg	0,29m
Cev beš.kons. 550,0 x 20	1,060.0	kg	4,06m***
Cev beš.kons. 558,8 x 60,0 E355	180.0	kg	L=240mm
Cev beš.kons. 57,0 x 2,9 P235TR2	518.0	kg	6,72mx19+4,71m
Cev beš.kons. 57,0 x 2,9 S235JRH	241.5	kg	L=6mx7+0,72m+1,6m+6mx2+4m
Cev beš.kons. 57,0 x 3,2 S355J2H	2.0	kg	0,47m
Cev beš.kons. 57,0 x 4,5 S235JRH	194.0	kg	L=7,5mx3+0,5m+6,49m+0,71m+0,48m
Cev beš.kons. 57,0 x 5,0 S235JRH	127.0	kg	L=7,1mx2+6,09m+6,45m
Cev beš.kons. 57,0 x 6,3 S235JRH	59.5	kg	5,45m+2,43m
Cev beš.kons. 60,3 x 12,5 E355	66.0	kg	3,12m
Cev beš.kons. 60,3 x 12,5 P235TR2	485.0	kg	oko 4,0mx6+oko 2,5m+oko 2m+oko 2m+1,34m
Cev beš.kons. 60,3 x 2,8 S355J2H	32.5	kg	3,44m+0,44m+3,23m+1,43mn+1m+0,92m
Cev beš.kons. 60,3 x 2,9 P235TR1	505.0	kg	0,99m+0,64m+6mx14+5,9m
Cev beš.kons. 60,3 x 3,1 S235JRH	460.5	kg	6m x 16
Cev beš.kons. 60,3 x 3,2 P235TR1	40.5	kg	2,03m+2,58m+0,57m+0,42m+4m
Cev beš.kons. 60,3 x 3,6 P235TR2	1,241.0	kg	6,04mx25+3,62m+6,04mx14
Cev beš.kons. 60,3 x 3,6 St37.0	88.5	kg	6mx3

Proizvod	Količina	JM	Opis
Cev beš.kons. 60,3 x 4,0 ZP8Mn45NS	862.9	kg	6,02x5+7,05mx15+3m+1m+0,4m
Cev beš.kons. 60,3 x 4,5 P235TR1	1,375.0	kg	6mx36+2m
Cev beš.kons. 60,3 x 4,5 S275JOH	3.5	kg	0,63m
Cev beš.kons. 60,3 x 5,0 18Mn122	320.0	kg	6,5mx6+0,72m zid 6
Cev beš.kons. 60,3 x 5,0 P235TR2	275.0	kg	6,03mx6+1,05m+0,89m
Cev beš.kons. 60,3 x 5,54 X42 API SPEC.5L	57.0	kg	3,83m+3,04m+0,82m
Cev beš.kons. 60,3 x 5,6 P235TR1	445.5	kg	L=6,02mx7+3mx3+1,28m
Cev beš.kons. 60,3 x 6,3 P235TR1	480.0	kg	6,05mx6+1,04m+1,83m+0,88m
Cev beš.kons. 60,3 x 8,0 S235JRH	101.0	kg	5,2m+0,86m
Cev beš.kons. 60,3 x 8,73 S275JOH	77.5	kg	4,74m+1,03m+1m
Cev beš.kons. 60,3 x 8,74 S275JOH	129.0	kg	5,73m+5,57m
Cev beš.kons. 63,5 x 2,9 S235JRH	4.0	kg	1,19m
Cev beš.kons. 63,5 x 3,5 S235JRH	362.5	kg	L=6,02mx14+2,2m+2,35m
Cev beš.kons. 63,5 x 4,0 P355NH	19.0	kg	
Cev beš.kons. 63,5 x 4,5 S235JRH	336.0	kg	L=8,09mx6+2,79m
Cev beš.kons. 63,5 x 4,5 S355J2H	2,416.0	kg	6mx61
Cev beš.kons. 63,5 x 5,0 S275JOH	78.5	kg	L=6,05m+2,58m
Cev beš.kons. 63,5 x 5,6 S275JOH	433.0	kg	L=7,41mx7+1,97m+0,56m+5,41m
Cev beš.kons. 63,5 x 6,3 ZP8Mn45	454.5	kg	od 4,3m-6m x 7+0,77m+1,24m+4,24m+1,39m+1,1
cev beš.kons. 63,5 x 8,8 E355	275.0	kg	9,77m+1,96m+0,74m+3,47m+5,87m
Cev beš.kons. 65,0 x 7,5 S355J2H	440.0	kg	L=7,3mx4
Cev beš.kons. 66,5 x 5,6 S235JRH	1,258.0	kg	11,6mx11+6mx3+0,79m
Cev beš.kons. 70,0 x 10,0 E355	49.0	kg	0,81m+1,76m
Cev beš.kons. 70,0 x 11,0 E355	162.5	kg	0,78m+2,83m+5,71m
Cev beš.kons. 70,0 x 14,2 E235	57.0	kg	2,83m
Cev beš.kons. 70,0 x 6,3 E355	5.0	kg	0,825m
cev beš.kons. 70,0 x 7,1 E355	14.0	kg	1,43m
cev beš.kons. 70,0 x 8,0 E355	45.5	kg	3,68m
Cev beš.kons. 73,0 x 7,01 P235TR2	852.0	kg	6,65mx11
Cev beš.kons. 73,0 x 7,01 ZP8Mn45NS	10.0	kg	0,82m
Cev beš.kons. 73,0 x 9,53 S235JRH	130.0	kg	6m+1,5m+0,76m
Cev beš.kons. 76,1 x 2,8 S235JRH	512.0	kg	6,05mx17kom+1,99m
Cev beš.kons. 76,1 x 2,9 S355J2H	18.5	kg	4m-kriva
Cev beš.kons. 76,1 x 2,9 ZP8Mn45NS	437.5	kg	5,7mx7+5,1mx7+4m+1640mm
Cev beš.kons. 76,1 x 3,2 S355J2H	42.0	kg	4m+2m+5,05m
Cev beš.kons. 76,1 x 3,6 E235	6.0	kg	0,49m
Cev beš.kons. 76,1 x 4,0 GRADE A-1	117.0	kg	5,97m+4,96m+2,06m+2,96m+0,69m
Cev beš.kons. 76,1 x 4,0 P235TR1	106.0	kg	3m+1,91mx5+1,7mx+0,49m
Cev beš.kons. 76,1 x 4,0 P235TR2	40.0	kg	2,5m+3,54m
Cev beš.kons. 76,1 x 4,0 St37.0	43.5	kg	1mx3+3,93m
Cev beš.kons. 76,1 x 4,5 P235TR1	611.5	kg	6mx9+4,5m+1,94m+1,98m
Cev beš.kons. 76,1 x 5,0 P235TR1	1,099.0	kg	6mx18+3,5m+0,91m+1,37m+5,24m+2,94m+0,67m
Cev beš.kons. 76,1 x 6,3 8617H SAE	639.5	kg	oko 6,5m-6,6mx5+3,64m+1,15m
Cev beš.kons. 76,1 x 6,3 P235TR1	393.3	kg	6mx4+3m+1,17m+4,54+1,77m
Cev beš.kons. 76,1 x 7,1 S355J2H	1,962.5	kg	6,02mx27+3m
Cev beš.kons. 80,0 x 5,0 16MnCr5(Č.4320)	94.0	kg	5,6m+4,09m
cev beš.kons. 82,5 x 12,5 S355J2H	1,020.5	kg	6,16mx4+6,26m+6,2mx2+4,06m
Cev beš.kons. 82,5 x 3,2 P265TR1	113.0	kg	2,78mx2+2,87m+6+1,88m+1,81m+2,65m
Cev beš.kons. 82,5 x 3,6 S235JRH	637.0	kg	0,3x9+0,51m+0,55m+6mx2+0,93m+6mx13

Proizvod	Količina	JM	Opis
Cev beš.kons. 82,5 x 4,5 20MnV6	336.5	kg	6mx6+2m
Cev beš.kons. 82,5 x 8,0 E235	4.0	kg	
Cev beš.kons. 82,5 x 8,0 E355	95.5	kg	0,97m+5,91m
Cev beš.kons. 88,9 x 10,0 E355	28.0	kg	0,59m
Cev beš.kons. 88,9 x 10,10 18Mn122	261.0	kg	oko 5,57m+3,61m+0,82m+oko 1,45m
Cev beš.kons. 88,9 x 11,0 E355	21.0	kg	
Cev beš.kons. 88,9 x 16,0 18Mn122	525.5	kg	6m+5m+0,67m+3,98m+0,42m
Cev beš.kons. 88,9 x 16,0 E355	757.0	kg	9,19mx2+6,25m
Cev beš.kons. 88,9 x 25,0 S355J2H	833.5	kg	5,76m+1,26m+1,09m+5,84m+5,96m
Cev beš.kons. 88,9 x 3,2 E235	1,349.5	kg	6mx27+1m+4m+2,7m+2m+2,94mx2+0,2m
Cev beš.kons. 88,9 x 4,0 P235TR2	879.5	kg	6mx14+3m+1,5mx4+4m+2,16m+0,33m
Cev beš.kons. 88,9 x 5,0 P235TR1	386.0	kg	6mx6+2m+1,01m
Cev beš.kons. 88,9 x 5,49 P265GH TC1*	565.0	kg	5,89m+4,91m+5,23m+1,24m+5,26m+1,72m+1,24m
Cev beš.kons. 88,9 x 6,3 E275	90.5	kg	7,01m
Cev beš.kons. 88,9 x 7,1 E235	9.0	kg	0,63m
Cev beš.kons. 88,9 x 7,1 P235TR1	855.0	kg	6mx10+1.62m+2,58m+1,26mx2m
Cev beš.kons. 88,9 x 7,62 ZP8Mn45NS	220.5	kg	3,18m+1,02m
Cev beš.kons. 88,9 x 8,0 E275	131.5	kg	6m+3,5m
Cev beš.kons. 95,0 x 10,0 E235	198.0	kg	3,34m+5,85m
Cev beš.kons. 95,0 x 10,0 E355	122.5	kg	5,39m+2,03m
Cev beš.kons. 95,0 x 12,5 E355	676.5	kg	4,97m+5,08m+4,72m+5m+4,74m

Šavne cevi

Proizvod	Količina	JM	Opis
Cev šav. ZP profil 1004 Č.0361	304.0	kg	6x15 kom
Cev šav. ZP profil 1204 Č.0361	6.5	kg	3m
Cev šav. ZP profil 1304	5.0	kg	1,57m
Cev šav.kvad. 100x100x4,8 S235JR	183.0	kg	6mx2
Cev šav.kvad. 120x120x6 S235	23.0	kg	1,09m
Cev šav.kvad. 20x20x1,8 S235	136.5	kg	6mx19+4m
Cev šav.kvad. 50x50x2,0	110.0	kg	6mx6+2,65m
Cev šav.kvad. 60x60x3 S235	133.0	kg	6mx3
Cev šav.kvad. 70x70x2,5	16.0	kg	3m
Cev šav.okrugla 1"(33,7x2,2)	295.0	kg	6x21+4m+1,88m+1,5mx13kom+0,6m+2m+3m*+4
Cev šav.okrugla 1"x3,2 HI	282.0	kg	6mx19+3,5m
Cev šav.okrugla 159,0 x 3,8 S235JRH	166.0	kg	6m+4,49m
Cev šav.okrugla 2" x 2,0 (60,3mm)	40.0	kg	6m+0,65xx21,23m-kriva+0,46m
Cev šav.okrugla 25,0 x 1,5 HV	108.0	kg	6m x 17+6m-kriva
Cev šav.okrugla 3/8	139.0	kg	6mx26+4m
Cev šav.okrugla 42,4x1,5	15.5	kg	2,91+6
Cev šav.okrugla 5/4" 42,4x2,6	15.0	kg	6m
Cev šav.okrugla 5/4x3,2 " HI	37.0	kg	6mx2
Cev šav.okrugla 508 x 8	27.0	kg	0,28m
Cev šav.okrugla 550 x 8	125.0	kg	0,55m*x2
Cev šav.okrugla 60,3 x 1,5 HV	77.5	kg	6x5kom - ulubljene
Cev šav.okrugla 63,5x3,0	1,043.0	kg	6mx31 +6m+5,3m
Cev šav.okrugla 920 x 10	894.5	kg	3,98m
Cev šav.prav. 250x150x6	405.0	kg	6mx2kom
Cev šav.prav. 40x20x1,9 S235	48.0	kg	6mx5
Cev šav.prav. 60x40x2,0	15.0	kg	3 - kriva
Cev šav.prav. 80x40x2 Č.0361	183.5	kg	6mx8kom+1,99m+0,8m+2m+1,31m

Hamburški lukovi

Proizvod	Količina	JM	Opis
Hamburški luk fi 108,0x4,0 R-1,5 D 90 P235TR	4.0	kom	4
Hamburški luk fi 114,3x4,0 R-1,5 D 90 P235GH	45.0	kg	45
Hamburški luk fi 114,3x4,0 R-1,5 D 90 P235TR	43.0	kom	43
Hamburški luk fi 114,3x8,8 R-1,5 D 90 P235GH	1.0	kom	1
Hamburški luk fi 139,7x4,5 St35.8	1.0	kom	1
Hamburški luk fi 139,7x6,3 R-1,5 D 30	79.0	kom	79 kom
Hamburški luk fi 139,7x6,3 R-1,5 D 90	46.0	kom	43 kom
Hamburški luk fi 139,7x6,3 R-2 D 90	1.0	kom	1 kom
Hamburški luk fi 152,4x6,3 R-1,5 D 90 St37.0	1.0	kom	1
Hamburški luk fi 159,0x5,0 R-1,5 D 90	3.0	kom	3
Hamburški luk fi 159,0x5,5 R-1,5 D 90	6.0	kom	6
Hamburški luk fi 168,3x4,5 R-1,5 D 90	4.0	kom	4 kom
Hamburški luk fi 168,3x7,1 R-3 D 30	9.0	kom	9 kom
Hamburški luk fi 168,3x8,8 R-1D 180	4.0	kom	4 kom
Hamburški luk fi 21,3x2,3 (1/2") R-1,5 D 90 P	12.0	kom	12 kom
Hamburški luk fi 219,1x15 R-1 D 180	3.0	kom	3 kom
Hamburški luk fi 219,1x15 R-1,5 D 90	4.0	kom	4 kom
Hamburški luk fi 33,7x2,6 R-1,5 D 90 P235T	18.0	kom	18
Hamburški luk fi 33,7x3,2 R-1,5 D 90 P235GH-	1.0	kom	1
Hamburški luk fi 33,7x3,2 R-1,5 D 90 P235TR	30.0	kom	30
Hamburški luk fi 42,4x2,6 R-1,5 D 90 P235TR	22.0	kom	22
Hamburški luk fi 42,4x3,2 R-1,5 D 90 P235TR	89.0	kom	89
Hamburški luk fi 48,3x3,2 P235GH	2.0	kom	2
Hamburški luk fi 48,3x3,68 90 ASTMA	2.0	kom	2
Hamburški luk fi 48,3x3,68 R-1,5 D 90 P265GH	37.0	kom	37
Hamburški luk fi 48,3x4,0 R-1,5 D 90	2.0	kom	2
Hamburški luk fi 508,0x8,0 R-1,5 D 45	1.0	kom	1 kom
Hamburški luk fi 508,0x8,0 R-1,5 D 90	3.0	kom	3 kom
Hamburški luk fi 60,3x2,9 R-1,5 D 90 P235TR1	11.0	kom	11
Hamburški luk fi 60,3x4,0 R-1,0 D 90	1.0	kom	1
Hamburški luk fi 60,3x4,0 R-1,5 D 90 P235GH	11.0	kom	11
Hamburški luk fi 60,3x4,0 R-1,5 D 90 P235TR1	7.0	kom	7
Hamburški luk fi 60,3x4,0 R-1,5 D 90 P265GH	23.0	kom	23
Hamburški luk fi 60,3x5,0 R-1,5 D 90	1.0	kom	1
Hamburški luk fi 60,3x8,0 R-3 D 90	3.0	kom	3
Hamburški luk fi 70,0x5,0 R-1,5 D 90 P235TR1	6.0	kom	
Hamburški luk fi 76,1x2,9 R-1,5 D 90 P235TR1	1.0	kom	1
Hamburški luk fi 76,1x3,2 R-1,5 D 180 P235TR	1.0	kom	1 kom
Hamburški luk fi 76,1x3,2 R-1,5 D 90 P235GH	11.0	kom	11
Hamburški luk fi 76,1x4,0 R-1,5 D 90 P265GH	59.0	kom	56
Hamburški luk fi 76,1x4,0 R-1,5 D 90 P235TR1	6.0	kom	6
Hamburški luk fi 76,1x4,0 R-2 D 90	1.0	kom	1
Hamburški luk fi 76,1x5,0 R-1,5 D 90	1.0	kom	1
Hamburški luk fi 76,1x5,16 R-1 D 90	3.0	kom	3
Hamburški luk fi 76,1x6,3 R-1,5 D 90 St37.0	15.0	kom	15
Hamburški luk fi 76,1x6,3 R-2D 90	1.0	kom	1 kom
Hamburški luk fi 76,1x9 P235TR	1.0	kom	1 kom

Proizvod	Količina	JM	Opis
Hamburški luk fi 88,9x4,0 R-1,5 D 90 P265GH	69.0	kom	69

Limovi

Proizvod	Količina	JM	Opis
Lim HVL 04	384.5	kg	850x2000 x n tabli
Lim HVL 06	23.0	kg	800x2000 x3 tabli
Lim HVL 1 DCO1	43.5	kg	1000x2000x 2 table+1000x1000
Lim HVL 10 Zn mesing	87.0	kg	1000x1000 1tabla
Lim TVL 10 DD11	578.0	kg	1500x1070+1500x3000+1500x1170
Lim TVL 10 S235JR	340.9	kg	20x370+100x310+1500x1500
Lim TVL 12 DD11	420.0	kg	190x800+690x2000+690x1800+1190x1500
Lim TVL 12 S235JR	1,021.0	kg	200x320+500x1000+590x1100+300x700+500x500
Lim tvl 14 Č.0453	1,250.0	kg	2740x2000+250x1210+1190x2000+1720x2280+26
Lim tvl 14 Č.1204	118.0	kg	900x1180
Lim TVL 15 S235JR	743.5	kg	1500x3000+435x535+420x440+820x430
Lim tvl 16 Č.1204	11.0	kg	110x330+110x460
Lim TVL 2,0 S235JR	46.0	kg	1520x1910
Lim TVL 2,5 Č.1731	16.5	kg	820x1000
Lim TVL 20 S235JR	875.0	kg	315x400+1000x295x350+160x200+180x300+130x
Lim TVL 25	208.7	kg	865x910+100x690+250x400+260x570+155x190
Lim TVL 25 S355JR	313.5	kg	1140x1200+570x635
Lim TVL 3,5x1160x6000 S235JR	141.5	kg	1160x3000+1160x1080+260x910
Lim TVL 30 S235JR	1,460.0	kg	270x200+470x660+660x780+120x540+200x1350+
Lim TVL 40 S235	13.5	kg	restlovi
Lim TVL 4x1500x6000 S235JR	422.0	kg	1500x3000+1500x2300+750x760+370x490
Lim TVL 5 S355J2+N	2.0	kg	200x810-2 komada+200x300
Lim TVL 6 DD11	193.0	kg	250x700+340x500+1010x1540+400x610
Lim TVL 6 S235JR	236.3	kg	1500x3000+300x1200+1000x2400
Lim TVL 60 S355J2+N+Z25	1,307.0	kg	1500x1370+300x1500+620x810+300x630+120x40
Lim TVL 70,0 S355J2+N	202.0	kg	komadi
Lim TVL 8 S235JR	850.5	kg	1500x1770+400x680+600x1200+340x500+270x70

Profili

Proizvod	Količina	JM	Opis
HOP L 50x50x4	4.0	kg	6m
Proizvod	Količina	JM	Opis
Profil L 30x30x3 S275	18.0	kg	6mx2+3,7*
Profil L 40x40x4 S275	755.0	kg	(L=6mx5kom +2,58m-krive)+6mx43+0,94m
Profil L 45x45x5	88.0	kg	6mx4+1,4m
Profil L 75x75x8 S275	37.5	kg	2,82m
profil UNP 100 S235JR	262.5	kg	6mx4
Profil UNP 100 S275	50.0	kg	6m+4,5m-savijani
profil UNP 120 S235JR	26.5	kg	2m
profil UNP 140 S235JR	71.0	kg	4,5m
Profil UNP 65 S235JR	165.0	kg	6mx3+4m
profil UNP 80 S235JR	352.0	kg	6mx4+2,34m+2,2m+3,59m

Šipkasti materijali - Čelici

Proizvod	Količina	JM	Opis
Čelik kvadratni 12 x 12 Č.1530	148.0	kg	6m x n zardjale i krive
Čelik kvadratni 14 x 14 Č.1530	1,374.5	kg	6m x n zardjale i krive
Čelik kvadratni 20 x 20	384.0	kg	6m x n*
Čelik kvadratni 25 x 25 S235JR	21.9	kg	2,1m+2m
Čelik kvadratni 30 x 30 C45+C	33.0	kg	1,22m+3m+0,53m
Čelik kvadratni 4 x 4 C45+C	.6	kg	3m
Čelik kvadratni 40 x 40 C45+C	5.0	kg	0,4m
Čelik kvadratni 50 x 50 S235JR+N	185.0	kg	6,06m+2,66m
Čelik kvadratni 60 x 60 S235JR	175.0	kg	6m
Čelik kvadratni 80 x 80 S235	123.5	kg	0,15m*+0,27m+0,29m+1,745m
Čelik OK 13 C45+C	32.0	kg	3mx9
Čelik OK 17 Č.1531.5	31.1	kg	3m+0,44m+3,3mx4
Čelik OK 19 C45+C	38.9	kg	3,1x4
Čelik OK 22 C45+C	36.3	kg	2,5m+3mx7+1m
Čelik OK 24 Č.1731	269.0	kg	3,05m-3,23mx15
Čelik OK 24 Č.4732	163.5	kg	oko 3,8mx9
Čelik OK 27 11SMn30+C(3990.5)	34.0	kg	3mx2+1,04m
Čelik OK 27 C45+C	129.5	kg	3mx8+0,87+1m
Čelik OK 32 C45+C	56.5	kg	3mx3
Čelik OK 36 C45+C	142.5	kg	0,5m+3,13m+3mx2
Čelik OK 41 CK45 K	709.0	kg	3,02mx18+1,05m
Čelik OK 46 C45+C	10.0	kg	0,76m
Čelik OK 50 Č.1531	172.5	kg	1,39m+1,51mx3+0,63m+1,56m+1,45
Čelik OK 55 C45+C	88.5	kg	1,19m+1m+1.51m
Čelik okrugli fi 10 Č.4731.5	31.0	kg	3mx17
Čelik okrugli fi 10 C45+C	14.8	kg	3mx9+2m+3m-kriva
Čelik okrugli fi 10 S235JR	138.0	kg	6mx32+4m
Čelik okrugli fi 100 Č.4732(42CrMo4)	292.5	kg	1,7m+3m
Čelik okrugli fi 100 C45	375.0	kg	6,06m
Čelik okrugli fi 11 Č.4146	2,127.0	kg	3 x n
Čelik okrugli fi 110 42CrMo4	295.0	kg	3m+0,9m
Čelik okrugli fi 110 C45	64.0	kg	0,38mx2
Čelik okrugli fi 12 C45+C	43.0	kg	3mx3+0,5m+3mx10
Čelik okrugli fi 12 S235JR	80.5	kg	6mx14+6m-kriva+2,4m+1,94mx2+1,54m+6,15m
Čelik okrugli fi 120 Č.4732.1(42CrMo4+N)	199.5	kg	2,24m
Čelik okrugli fi 120 C45	612.5	kg	6,3m+0,47m
Čelik okrugli fi 130 C45	411.5	kg	0,94m+3,05m
Čelik okrugli fi 14 C45+C	38.8	kg	L=3mx6+3,05mx4+1m
Čelik okrugli fi 14 S235JR	307.5	kg	6mx42+5m
Čelik okrugli fi 140 C45	527.0	kg	3m+1,09m
Čelik okrugli fi 15 C45+C	2.0	kg	2.0m
Čelik okrugli fi 150 C45	583.4	kg	1,39m+3m
Čelik okrugli fi 150 C45E+N	10.5	kg	
Čelik okrugli fi 155 Č.4732	83.8	kg	0,54m
Čelik okrugli fi 16 42CrMo4	27.2	kg	6mx2+0,6m
Čelik okrugli fi 16 Č.1212	15.4	kg	3,5mx3-zardjale
Čelik okrugli fi 16 C45+C	101.2	kg	3,05mx20+0,69m+2,84m

Proizvod	Količina	JM	Opis
Čelik okrugli fi 165 Č.4732	295.5	kg	1,73m
Čelik okrugli fi 18 Č.4732	5.0	kg	2,44m-kriva
Čelik okrugli fi 18 C45+C	75.5	kg	3mx10+1m
Čelik okrugli fi 18 C45E	22.7	kg	6mx3+6m+1,87m0,54m+0,79m
Čelik okrugli fi 20 11SMn30+C(3990.5)	15.5	kg	3mx2
Čelik okrugli fi 20 Č.4732	58.0	kg	2,43m+4,21m+4,07m-zardžale+2mx3
Čelik okrugli fi 20 C45	112.0	kg	6,02mx5+6m+1m+1,59m+2,98m
Čelik okrugli fi 20 C45+C	50.9	kg	3mx5+1,89m
Čelik okrugli fi 200 42CrMo4	192.0	kg	0,95m
Čelik okrugli fi 22 11SMn30+C(3990.5)	15.5	kg	3m+2m
Čelik okrugli fi 22 16MnCr5	72.0	kg	6mx2+2mx2 - krive i zardžale
Čelik okrugli fi 22 20MnCrS5	178.5	kg	6,26mx9+3,21m+1,8m+1,43m+2,24m
Čelik okrugli fi 22 C45+C	57.8	kg	0,99m+3mx6
Čelik okrugli fi 24 Č.4732	120.5	kg	6mx5*+5,57m*
Čelik okrugli fi 25	40.0	kg	2mx6-savijene i narezani navoji
Čelik okrugli fi 25 42CrMo4	75.4	kg	6mx2+3,1m+4m
Čelik okrugli fi 25 Č.1530	12.0	kg	1m+5m
Čelik okrugli fi 25 Č.1531	12.0	kg	0,98m+0,58M
Čelik okrugli fi 25 C45	89.9	kg	6,03mx6+0,24mx2+2m
Čelik okrugli fi 25 C45+C	225.7	kg	3mx13+1,24m+0,44m
Čelik okrugli fi 25 C45+N	35.5	kg	6m+2m
Čelik okrugli fi 26 20MnCrS5	618.0	kg	6,26mx22+1,02m+5,67m+3,77m
Čelik okrugli fi 26 Č.4730*	34.0	kg	6m+2,11m
Čelik okrugli fi 26 Č.4732*	141.0	kg	6,mx4kom+3,55m+2,11m+3,02m-kriva
Čelik okrugli fi 30 42CrMo4	10.7	kg	1,22m+2,47m+0,49m
Čelik okrugli fi 30 C45+C	240.5	kg	3,01mx13+2,78m
Čelik okrugli fi 30 C45E	347.8	kg	6mx9
Čelik okrugli fi 32 C45+C	11.5	kg	2,0m
Čelik okrugli fi 32 C45+N	164.7	kg	6mx4+1,38m
Čelik okrugli fi 35 42CrMo4	94.3	kg	6m+4,5m
Čelik okrugli fi 35 C45	137.0	kg	6,04m+4,23m
Čelik okrugli fi 35 C45+N	80.3	kg	6mx2
Čelik okrugli fi 35 C45E+C	572.5	kg	3,08mx22+1,8m+1,27m
Čelik okrugli fi 38 Č.1221	1,268.5	kg	4,73m-4,9x23
Čelik okrugli fi 38 Č.3990.5	38.0	kg	2mx2
Čelik okrugli fi 40 42CrMo4	128.0	kg	6,02m+4,5m+0,77m+0,46m
Čelik okrugli fi 40 C45	924.0	kg	6mx15
Čelik okrugli fi 40 C45+C	116.0	kg	3mx3+1.19m
Čelik okrugli fi 45 42CrMo4	254.0	kg	6,03mx2+4,5m+2.52m
Čelik okrugli fi 45 C45	74.5	kg	4,58m
Čelik okrugli fi 45 C45+C	93.5	kg	3,03mx2+1,5m
Čelik okrugli fi 45 C45+N	37.5	kg	2,845m
Čelik okrugli fi 48 Č.1221	298.5	kg	oko 4,5mx4kom+2,5m+1,46m
Čelik okrugli fi 5 S235JR+C	97.0	kg	3mxn
Čelik okrugli fi 50 20MnCrS5	147.0	kg	3,19m+2,69m+1,58m
Čelik okrugli fi 50 42CrMo4	151.0	kg	6m+3m+0,51m
Čelik okrugli fi 50 C45	13.5	kg	0,99m
Čelik okrugli fi 50 C45+C	464.0	kg	3mx10
Čelik okrugli fi 55 42CrMo4+N	232.0	kg	6mx2

Proizvod	Količina	JM	Opis
Čelik okrugli fi 55 C45	173.0	kg	1,18m+3,02m+4,44m,
Čelik okrugli fi 55 C45+C	206.5	kg	0,26m+5,3m+3m+1,5mx2
Čelik okrugli fi 6 Č.0361.5	1.7	kg	3mx5+1,79m+2m
Čelik okrugli fi 6 C45+C	7.0	kg	2,59mx16
Čelik okrugli fi 60 42CrMo4	152.5	kg	0,88m*+6m+0,26m
Čelik okrugli fi 60 C45	388.0	kg	6mx2+3m+2,39m
Čelik okrugli fi 60 C45+C	85.5	kg	0,715m+3,01m
Čelik okrugli fi 65 42CrMo4	212.5	kg	3m+1,14m+3,56m
Čelik okrugli fi 65 C45	752.0	kg	6m+1,98m+6,49mx2+5,48m
Čelik okrugli fi 70 42CrMo4	205.0	kg	6m
Čelik okrugli fi 70 42CrMo4+N	79.5	kg	2.995m
Čelik okrugli fi 70 C45	686.5	kg	1,34m+4,39m+6mx3+0,45m
Čelik okrugli fi 75 42CrMo4	92.5	kg	2,58m
Čelik okrugli fi 75 C45	108.0	kg	3,58m
Čelik okrugli fi 75 C45+N	210.0	kg	6m
Čelik okrugli fi 8 C45+C	14.1	kg	3mx12
Čelik okrugli fi 8 S235+C	.7	kg	1,5m
Čelik okrugli fi 80 42CrMo4	268.5	kg	0,39m+6m
Čelik okrugli fi 80 C45	476.5	kg	6m+3,8m
Čelik okrugli fi 85 C45E	214.4	kg	4,65m
Čelik okrugli fi 90 42CrMo4	280.5	kg	5,37m
Čelik okrugli fi 90 C45	517.0	kg	6,56m+5,04m+0,332m
Čelik pravougaoni 100 x 10	289.0	kg	6mx5+4,5m+0,8m
Čelik pravougaoni 30 x 4 S235	3.5	kg	6m
Čelik pravougaoni 40 x 10 S235	100.0	kg	6mx8
Čelik pravougaoni 40 x 3 S235	36.5	kg	6mx7+4,5m
Čelik pravougaoni 40 x 6 S235	518.0	kg	6mx42+6mx3-kriva
Čelik pravougaoni 40 x 8 S235	127.4	kg	6mx3+1,17mx3+0,39m+0,7m+0,5m+6mx5
Čelik pravougaoni 50 x 20 C45+C	504.0	kg	
Čelik pravougaoni 50 x 4	81.0	kg	6mx4+1,7m
Čelik pravougaoni 50x 12 S235JR	150.0	kg	6mx5
Čelik pravougaoni 6 x 60 S275JR+AR	170.5	kg	6mx9+0,7m
Čelik pravougaoni 70x 6 S235	189.8	kg	6mx8+2,1m
Čelik pravougaoni 80x 12 S235	186.0	kg	6,1mx4+1,01m+2,6m
Čelik traka 1,0 x 20 DC01AM	5.0	kg	3mx10

Redukcije i "T" komadi

Proizvod	Količina	JM	Opis
Eksc.redukcija fi 88,9/ fi 42,4x4	2.0	kom	2 kom
Proizvod	Količina	JM	Opis
Konc.red. fi 88,9x4,5/42,4x4,5	18.0	kom	18 kom
Konc.redukcija 3-2 1/2	1.0	kom	1
Konc.redukcija fi 108x5/fi 76,1x4 P265GH	1.0	kom	1 kom
Konc.redukcija fi 114,3/fi 76,1 P235TR1	2.0	kom	2
Konc.redukcija fi 114,3x6,3/88,9x6,3	1.0	kom	1 kom
Konc.redukcija fi 137,4x4,0/fi 114,3x3,6 P235	1.0	kom	1
Konc.redukcija fi 168,3x4,5/114,3x4,5 P235G	4.0	kom	4kom
Konc.redukcija fi 168,3x5/fi139x5	1.0	kom	1 kom
Konc.redukcija fi 168,3x6,3/139,7x6,3	3.0	kom	3
Konc.redukcija fi 168,3x6,3/76,1x4 P235GH	2.0	kom	2 kom
Konc.redukcija fi 219,1/139,7x6,3	1.0	kom	1 kom
Konc.redukcija fi 219,1x6,3/fi 114,3x6,3	13.0	kom	13 kom
Konc.redukcija fi 219,1x9/159x8 P265GH	2.0	kom	2 kom
Konc.redukcija fi 26,9x2,6/21,3x2,6 P235GH	4.0	kom	4 kom
Konc.redukcija fi 323,9x7,1/fi 219,1x7,1 P235	7.0	kom	7kom
Konc.redukcija fi 33,7x2,6/26,9x2,6 P235GH	2.0	kom	2 kom
Konc.redukcija fi 42,4x2,9/33,7x2,9	4.0	kom	4
Konc.redukcija fi 42,4x3,6/fi 33,7x3,6	10.0	kom	10kom
Konc.redukcija fi 48,3x2,9/fi 42,4x2,9 P235GH	1.0	kom	1 kom
Konc.redukcija fi 48,3x3,6/26,9x3,6	2.0	kom	2 kom
Konc.redukcija fi 60,3x3,6/33,7x3,6 P235GH	1.0	kom	1
Konc.redukcija fi 60,3x3,6/fi 42,4x3,6	5.0	kom	5 kom
Konc.redukcija fi 60,3x5,0/fi 42,4x5,0	12.0	kom	12 kom
Konc.redukcija fi 76,1x5,6/fi 60,3x5,6	6.0	kom	6kom
Konc.redukcija fi 88,9x3,2/fi 76,1x2,9	1.0	kom	1 kom
Konc.redukcija fi 88,9x4,0/fi 57x4,0 P265GH	1.0	kom	1
Konc.redukcija fi 88,9x5,9/fi 60,3x3,91	3.0	kom	3kom
Proizvod	Količina	JM	Opis
T komad 139,7x8	16.0	kom	16
T komad 168,3x4,5/168,3x4,5 P235GH	1.0	kom	1
T komad 168,3x6,3	1.0	kom	1
T komad crni 2 1/2	2.0	kom	2

Bešavne cevi

Proizvod	Količina	JM	Opis
Beš.cev 10,0 x 1,0 AlMgSi	167.0	kg	6mxn
Beš.cev 108,0 x 5,0	307.0	kg	0,39+3,63+1,02+5,27+7+4,83
Beš.cev 114,3 x 4,0	20.0	kg	1,82
Beš.cev 114,3 x 7,1	178.5	kg	5,15m+3,88m
Beš.cev 114,3 x 7,5	152.0	kg	7,68m
Beš.cev 114,3 x 9*	667.5	kg	8,19m+10,4m+4,58m+4,23m
Beš.cev 121,0 x 9,0*	139.0	kg	5,58m-cetvrtasta
Beš.cev 127,0 x 7,1	28.0	kg	1,32m
Beš.cev 13,7 x 3,02	1,047.5	kg	6m-6,2mxn
Beš.cev 133 x 4,0	131.0	kg	3,47m+5,98m
Beš.cev 133 x 7	66.0	kg	3,02m
Beš.cev 139,7 x 13,2	39.0	kg	0,95m
Beš.cev 141,0 x 12,0	585.0	kg	6m+9,39m
Beš.cev 141,0 x 12,5	380.5	kg	3,93m+4,78m
Beš.cev 141,0 x 5,0	40.5	kg	1,73m
Beš.cev 141,0 x 8,0	276.5	kg	10,4m
Beš.cev 141,3 x 7,1	99.0	kg	5,16*
Beš.cev 152,0 x 6,3	74.5	kg	2,82m
Beš.cev 152,0 x 7,0	99.0	kg	3,94m
Beš.cev 165,0 x 25,0	281.0	kg	3,25m
Beš.cev 168,3 x 11,0	266.0	kg	3,67m+1,28m+1,07m
Beš.cev 168,3 x 7,1	529.0	kg	L=6mx3kom+0,29m+0,35m
Beš.cev 177,8 x 12,0	27.0	kg	0,56m
Beš.cev 219,1 x 8,0	999.0	kg	5,05+2,94+8,06m+7,91m-nema atesta
Beš.cev 273,0 x 15,0	680.0	kg	7,11m
Beš.cev 31,8 x 4	1,018.5	kg	6,8mx51+0,74m+4,5m+2,29m+2,8mx4+0,7m+0,79
Beš.cev 355,6 x 35,71 II A	435.0	kg	1,54m
Beš.cev 40,0 x 5,0 AlMgSi	363.0	kg	5,3mx47+2,02m+4mx2+2,29mx2
Beš.cev 60,0 x 1,5 AlMgSi	341.0	kg	4,5mx69+4,05m
Beš.cev 60,3 x 4,0	9.0	kg	0,6m+1,39m*
Beš.cev 60,3 x 5,5	27.0	kg	2,19+1,4-kriva
Beš.cev 60,3 x 5,6	46.9	kg	5,95m+3,02m
Beš.cev 60,3 x 6,0	48.0	kg	5,95m
Beš.cev 60,3 x 9,0	1,377.9	kg	6,07x17+3m--zid 9-10
Beš.cev 63,5 x 8,0	43.0	kg	3,05
Beš.cev 63,5 x 9,0	41.0	kg	3,39m-lista se
Beš.cev 76,1 x 3,6*	65.0	kg	5,08m+5,03m
Beš.cev 76,1 x 4,0	42.0	kg	6m-savna
Beš.cev 88,9 x 3,5	389.5	kg	6,07mx7+6m-kriva
Beš.cev 88,9 x 6,3	91.0	kg	0,64m+4,78m-zid 5,5